ざっくりわかる RubyとRails

柴田 博志

SHIBATA Hiroshi

paperboy&co.
asakusa.rb

paperboy&co., Inc.

Kayac

2013-02-22(Fri)



SHIBATA Hiroshi(@hsbt)

昼寝ができる!
ユニーク制度で効率UP

眠いのを我慢して仕事しても

技術基盤整備エンジニア

paperboy&co.

【採用情報】 ヘテムル カスタマーサービスの募集を開始しました。







600万人のお客様を「もっと面白くできる」人材を募集中。 paperboy&co.採用情報





メディア公式アカウント一覧



サービス一覧

ペパボ最新ニュース

RSSを購読する

2013年02月14日(木) [お知らせ , ヘテムル]

クリエーター向けレンタルサーバー「heteml(ヘテムル)」ディスク容量増量のお知らせ～料金据え置きで118.6GBから150GBに～

2013年02月08日(金) [プレスリリース , ブクログ]

日本語ワープロソフト「一太郎2013 玄」と電子書籍作成・販売プラットフォーム「パブー」 年間を通じて個人の電子書籍出版を支援するキャンペーンを本日より開始 ～抽選で漫画家・佐藤秀峰氏に表紙を描き下ろしてもらえる権利など、さまざまな特典を提供～

2013年01月22日(火) [お知らせ]

【障害情報】弊社運営サービス【カラーミーショップ】での障害に関するお知らせ【解決済】

2013年01月22日(火) [プレスリリース , ロリポップ!]

個人向けレンタルサーバー「ロリポップ!」 初期費用無料・月額2,100円で利用可能な『独

＿人人人人人人人＿
＞　突然のRuby化　＜
￣Y^Y^Y^Y^Y^Y^Y^Y￣

Web development that doesn't hurt

Ruby on Rails® is an open-source web framework that's optimized for programmer happiness and sustainable productivity. It lets you write beautiful code by favoring convention over configuration.

Rails 3.2.11 has been released!, The People Behind Rails 4

Get Excited

```
class PostsController <
  # GET /posts
  # GET /posts.xml
  def index
    @posts = Post.find(

    respond_to do |form
      format.html # ind
      format.xml  { ren
      format.json { ren
      format.atom
    end
```

Screencasts & presentations

Get Started

Download version 3.2

3.2.11 released Jan 8, 2013

Get Better



API, Guides, Books

Get Involved

IRC
Mailing lists
Bug tracker
Wiki

Join the community

"Ruby on Rails is a breakthrough in lowering the barriers of entry to programming. Powerful web applications that formerly might have taken weeks or months to develop can be produced in a matter of days."

-Tim O'Reilly, Founder of O'Reilly Media

Read more quotes

Who is already on Rails?

Tens of thousands of Rails applications are already live. People are using Rails in the tiniest part-time operations to the biggest companies.





Pros

1. 頭に優しい

2. Web のベストプラクティスの集まり

Cons

思いつきませんでした

頭に優しい

とは?

MySQLのスキーマ定義を見て、その中からテキストっぽいカラムだけを取り出して、そのカラム名のシンボルを配列で返すのってどうやるんだっけ？？？

```ruby
def klass.text_columns
  columns.select do |c|
    [:string, :text].include? c.type
  end.map{|c| c.name.to_sym}
end
```

Webのベストプラクティス

Rack: a Ruby Webserver Interface



Rack provides a minimal interface between webservers supporting Ruby and Ruby frameworks.

News

February 7th, 2013
Todays releases are important. All users should upgrade ASAP!

- CVE-2013-0262, symlink path traversal in Rack::File
- CVE-2013-0263, timing attack against Rack::Session::Cookie

Some notes on **CVE-2013-0263** that affects all prior versions:

- Some Rails users may not be affected (if they **only** use Rails managed sessions).
- If users are using the Marshal (default) session cookie encoding, then those users are vulnerable to a **Remote Execution**, after a successful timing attack.
- While some users may assume that timing attacks are not viable over the Internet, Cloud users in particular a reminded that intra-cloud latencies are sufficiently low to be viable.

Rack 1.5.2 has been released!.
Rack 1.4.5 has been released!.
Rack 1.3.10 has been released!.
Rack 1.2.8 has been released!.
Rack 1.1.6 has been released!.

January 28th, 2013

Crafting Rails Applications

Expert Practices for Everyday Rails Development

LONGITUDINAL SECTION

The RSpec Book

Behaviour-Driven Development with RSpec, Cucumber, and Friends



David Chelimsky
with Dave Astels, Zach Dennis, Aslak Hellesøy, Bryan Helmkamp, and Dan North

Sidekiq

Simple, efficient message processing for Ruby.

Introducing Sidekiq Pro with great new features!

What if **1** Sidekiq process could do the work of **20** Resque or DelayedJob processes?

Get it on GitHub

Learn more →

Install It

Put sidekiq in your Gemfile:

```
gem 'sidekiq'
```

Install the gem with Bundler:

```
bundle install
```

Call It

Place your worker classes in app/workers:

```
# app/workers/hard_worker.rb
class HardWorker
  include Sidekiq::Worker

  def perform(name, count)
    puts 'Doing hard work'
  end
end
```

In your controller action or model, call HardWorker.perform_async:

```
HardWorker.perform_async('bob', 5)
```

Start It

Finally, start sidekiq from the root directory of your Rails app.

```
bundle exec sidekiq
```



Modified Twitter Bootstrap design by hull.io © 2012 Mike Perham, @mperham / mikeperham.com

Deploying Rails

Automate, Deploy,
Scale, Maintain,
and Sleep at Night



New Relic.

LEARN MORE | WATCH VIDEO

A DEVELOPER'S BEST FRIEND

See how we help 35,000+ customers monitor their apps.

Create Your Free Account!

New Relic® provides SaaS Application Performance Management for Ruby, PHP, .Net, Java and Python

©2008-13 New Relic, Inc. All rights reserved. Terms of Service | Privacy Policy/Your Privacy Rights

Demo

やりたい

Sound only

hsbt / whispered

Pull Request | Unwatch | Star 5 | Fork 0

Code | Network | Pull Requests 0 | Issues 0 | Wiki | Graphs | Settings

No description or homepage.

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:hsbt/whispered.git

Read+Write access

branch: **master** | Files | Commits | Branches 1 | Tags

whispered /

91 commits

refactor

hsbt authored 3 hours ago — latest commit b724f24ac0

app	7 hours ago	implements DynamicModel.all [hsbt]
config	3 hours ago	refactor [hsbt]
db	14 days ago	remove inq_type [hsbt]
doc	21 days ago	rails new: stable version [hsbt]
lib	21 days ago	rails new: stable version [hsbt]
log	21 days ago	rails new: stable version [hsbt]
public	15 days ago	first ride on twitter bootstrap [hsbt]
script	21 days ago	rails new: stable version [hsbt]
solr	2 days ago	applied dynamic displayed columns [hsbt]

1 2 3 4 5 … Next › Last »

008696

title	テストです
note	捨てていいです
hen_note	お問い合せNo.008696 お客様 この度はお問い合わせ頂き、誠にありがとうございます。 >捨てていいです どうぞよろしくお願いいたします。 お客様担当:
update_date	20030513111523
memo	

009985

title	テストです
note	sdふぁsdふぁ
hen_note	お問い合せNo.009985 お客様 この度はお問い合わせ頂き、誠にありがとうございます。 >sdふぁsdふぁ どうぞよろしくお願いいたします。 お客様担当:
update_date	20030528194506
memo	

010060

title	テストです
note	解決済みにしておいてください
hen_note	お問い合せNo.010060 お客様 この度はお問い合わせ頂き、誠にありがとうございます。 >解決済みにしておいてください どうぞよろしくお願いいたします。 お客様担当:
update_date	20030529192642
memo	

035458

```
source 'https://rubygems.org'

gem 'rails'

gem 'mysql2'
# gem 'pg'
gem 'passenger'

gem 'slim-rails'
gem 'bootstrap-sass'
gem 'jquery-rails'
gem 'kaminari'

gem 'omniauth-github'
gem 'rails_config'

gem 'sunspot_rails'
gem 'sunspot_solr', '~> 2.0.0.pre'
gem 'progress_bar'
gem 'system_timer' if RUBY_VERSION < '1.9'

group :assets do
  gem 'sass-rails'
  gem 'coffee-rails'
  gem 'therubyracer'
  gem 'uglifier'
end

group :development, :test do
  gem 'spring'
  gem 'sextant'
  gem 'forgery'
  gem 'factory_girl_rails'
end
```

```ruby
Settings.inquiries_tables.each do |table|
  class_name = table.name.singularize.classify
  self.class.const_set class_name, Class.new(ActiveRecord::Base)
  class_name.constantize.table_name = table.name

  class_name.constantize.class_eval do |klass|
    def klass.text_columns
      columns.select{|c| [:string, :text].include? c.type}.map{|c| c.name.to_sym}
    end

    def klass.display_columns
      Settings.inquiries_tables.detect{|table| table.name ==
self.table_name}.display_columns.map(&:to_sym)
    end

    attr_accessible *text_columns if Rails.env.development?
    searchable do
      text *text_columns
    end
  end
end if Settings.inquiries_tables.present? && !ENV['TRAVIS_INIT']

module DynamicModel
  def all
    Settings.inquiries_tables.map do |table|
      table.name.singularize.classify.constantize
    end
  end
  module_function :all
end
```

```ruby
class InquiriesController < ApplicationController
  before_filter :login_required

  respond_to :html

  def index
    @inquiries = []
    DynamicModel.all.each do |klass|
      @inquiries << klass.all(:limit => 5)
    end
    @inquiries.flatten!
  end

  def search
    @inquiries = []
    DynamicModel.all.each do |klass|
      @inquiries << klass.search do
        fulltext params[:q]
      end.results
    end
    @inquiries.flatten!
    @inquiries =
Kaminari.paginate_array(@inquiries).page(params[:page]).per(25)
  end

  def show
    @inquiry = params[:class_name].constantize.find(params[:id])
  end
end
```

ポジトリ

ku 405
了時刻: -

52
sec, 終了時刻: -

FTR 464
0 sec, 終了時刻: -

Gtal 302
5 sec, 終了時刻: -

rotobuf 50
終了時刻: -

o/jttslite 30
1 sec, 終了時刻: -

hia 31
7 sec, 終了時刻: -

-boew 2363
1 sec, 終了時刻: -

nMagick 371
4 sec, 終了時刻: -

hsbt/whispered

5 0

最新 ビルド履歴 プルリクエスト ブランチまとめ

ビルド	メッセージ	コミット	Commiter	処理時間	終了時刻
17	refactor	b724f24 (master)	SHIBATA Hiroshi	4 min 37 sec	about 3 hours ago
16	implements DynamicModel.all	6e68f19 (master)	SHIBATA Hiroshi	4 min 52 sec	about 7 hours ago
15	anchored detail view	320fb1a (master)	SHIBATA Hiroshi	6 min 16 sec	about 23 hours ago
14	added welcome controller	eef2374 (master)	SHIBATA Hiroshi	4 min 54 sec	about 24 hours ago
13	added more tests	d454545 (master)	SHIBATA Hiroshi	4 min 55 sec	about 24 hours ago
12	fix broken test	240e2d5 (master)	SHIBATA Hiroshi	4 min 59 sec	about 24 hours ago
11	typo...	e1436f8 (master)	SHIBATA Hiroshi	4 min 22 sec	a day ago
10	remove travis-solr, and use own configuration of solr	24034e7 (master)	SHIBATA Hiroshi	4 min 21 sec	a day ago
9	added configuration of solr	c773111 (master)	SHIBATA Hiroshi	9 min 17 sec	a day ago
8	rename	7c2a642 (master)	SHIBATA Hiroshi	4 min 56 sec	a day ago
7	ignored db:seed when travis	976fb81 (master)	SHIBATA Hiroshi	5 min 24 sec	a day ago
6	ignored dynamic definition when running travis	ef56e6c (master)	SHIBATA Hiroshi	8 min 32 sec	a day ago
5	paginate per 500	96e35ff (master)	SHIBATA Hiroshi	4 min 59 sec	a day ago
4	copied database configuration	19ebbd9 (master)	SHIBATA Hiroshi	18 min 16 sec	2 days ago
3	ignored system_timer in 1.8 :<	a33b421 (master)	SHIBATA Hiroshi	4 min 49 sec	2 days ago
2	added db task to travis	01b7b6f (master)	SHIBATA Hiroshi	3 min 10 sec	2 days ago
1	added .travis.yml	cf647bd (master)	SHIBATA Hiroshi	2 min 18 sec	2 days ago

Show more

スポンサ
SOUND
スポンサ

ワーカー
bluebox-
bluebox-
bluebox-
bluebox-
ruby1.wo
ruby2.wo
ruby3.wo
ruby4.wo
ruby5.wo

Running

2600hz/
alphaHea
davideca
dcoeurjo
DGtal-tea
kaize/nas
ktns/rupl
rapidftr/F
rdsubhas
scikit-lea
wet-boew
ZenMagi

キュー: C
CocoaPo

爆速