Ruby 'root'

A fixer of Ruby ecosystem.

柴田 博志

SHIBATA Hiroshi

paperboy&co.

asakusa.rb

paperboy&co., Inc.

発表場所 RubyKaigi 2013

2013-05-30(Thu)

self

SHIBATA Hiroshi(@hsbt)



asakusa.rb



Rails Girls in Japan

paperboy&co.



SHIBATA Hiroshi

hsbt

paperboy&co., Inc.

Japan

shibata.hiroshi@gmail.com

http://www.hsbt.org/diary/

Joined on Jun 02, 2008

261 followers **1.3k** starred **219** following

Organizations



Contributions | Repositories | Public Activity

Edit Your Profile

Popular repositories

jenkins-rbenv-plugin 25 ★
Jenkins rbenv plugin

agig 16 ★
another Github IRC Gateway

heroku-mongodb 13 ★
Heroku mongodb plugin

whispered 12 ★

tdiary-core 10 ★
tDiary, The TSUKKOMI-able Weblog.

Repositories contributed to

paperboy-30days/30days-front 4 ★
30d.jp のフロントエンドアプリ

tdiary/tdiary-core 105 ★
tDiary, The TSUKKOMI-able Weblog.

paperboy-30days/30days-puppet 3 ★

paperboy-sqale/sqale-app 13 ★
front / admin

hiki/hiki 46 ★
Hiki is a powerful and fast wiki clone wri…

Your Contributions



3,761 Total	90 days	90 days
May 24 2012 - May 24 2013	February 24 - May 24	February 24 - May 24
Year of Contributions	Longest Streak	Current Streak

Contribution Activity

Period: 1 Week



SHIBATA Hiroshi

hsbt

paperboy&co., Inc.

Japan

shibata.hiroshi@gmail.com

http://www.hsbt.org/diary/

Joined on Jun 02, 2008

261 followers **1.3k** starred **219** following

Organizations



Contributions Repositories Public Activity Follow

Popular repositories

jenkins-rbenv-plugin 25 ★
Jenkins rbenv plugin

agig 16 ★
another Github IRC Gateway

heroku-mongodb 13 ★
Heroku mongodb plugin

whispered 12 ★

tdiary-core 10 ★
tDiary, The TSUKKOMI-able Weblog.

Repositories contributed to

tdiary/tdiary-core 105 ★
tDiary, The TSUKKOMI-able Weblog.

hiki/hiki 46 ★
Hiki is a powerful and fast wiki clone wri…

railsgirls-jp/railsgirls-jp.github.… 13 ★
Japanese translation of Rails Girls

ruby/www.ruby-lang.org 45 ★
Source of the www.ruby-lang.org site

mzp/atig 40 ★
atig.rb - Another Twitter IRC Gateway

hsbt's Open Source Contributions



Summary of Pull Requests, issues opened and commits. Learn more. Less More

1,335 Total	20 days	17 days
May 24 2012 - May 24 2013	September 23 - October 12	May 08 - May 24
Year of Contributions	Longest Streak	Current Streak

opensource contribution

—

main work

REDDOT
RUBY CONFERENCE

RedDotRubyConf is *THE* annual Ruby conference of South East Asia — a two day single-track event that brings together renowned international and local speakers.

June 7-8, 2013
SINGAPORE

GRAB A SEAT!

REGULAR - SGD $280
STUDENT - SGD $120

Schedule

Day 1: 7 June, Friday

9:15AM • TBA



Aaron Patterson

Venue

Matrix (Biopolis), Singapore
30 Biopolis Street, Singapore 138671



how we teach and mentor other programmers.

12:00PM • SPEAKER



Hiroshi Shibata

Ruby commiter, Advanced senior engineer in paperboy&co., Inc. Member of asakusa.rb and one of the organizer of RailsGirls in Japan.

From 'Legacy' to 'Edge': Continuous Upgrades For Rails Apps

We have a lot of Rails 2.x applications with Ruby 1.8 in production, and engineers feel incredible pain because they can't use a lot of gems and Ruby 1.9 features.

In this talk, I'll share my thoughts on the following:

- Why do we need to upgrade Ruby and Rails?
- What are the strategies available to upgrade Ruby and Rails?
- How do we reduce technical debt?
- How do we upgrade Rails while adding new features?
- How do we do continuous delivery while simuluteously migrating the database?

I'll also talk about how web companies in Japan work. If you are interested in continuous maintenance and continuous delivery, this is a talk for you.

12:30PM • *Lunch Break*

2:00PM • SPEAKER



Sau Sheong

We are

paperboy&co

hiring!!!

minne ミンネ

ハンドメイド作品数:95,105点

ピアス 検索

会員登録(無

作品を展示・







NEW ビックアップ作品を 全部みる

作品カテゴリーで探す

- アクセサリー
- ファッション
- バッグ・財布・小物
- 家具・生活雑貨
- 文房具・ステーショナリー
- ニット・[illegible]物
- 陶器・ガラ[illegible]
- アート・写[illegible]
- ベビー・キッズ
- ぬいぐるみ・人形

Minne Pickup 注目の作品をピックアップ



56個 フィ...
500円 (税込) ♥ 52



無垢材使用の...
15,000円 (税込) ♥ 11



木の時計(ウ...
3,800円 (税込) ♥ 7



daisyh...
2,900円 (税込) ♥ 2



★再

650円











web designer



BATMAN
(技術基盤整備エンジニア)

Ruby

‘root’

I have root permission of ruby-lang

www.ruby-lang.org

bugs.ruby-lang.org

svn.ruby-lang.org

www.rubyist.net

HsbtDiary

2013/02/25 (月) [長年日記]

joined ruby-core team.

I joined ruby-core team in Feb.23. I'll work follow topics:

- build checking and testing major application such as rails and fluentd in 2.1.0, 2.0.0 and 1.9.3.
- maintain to pure ruby library
- support Mac OS X
- maintain bugs.ruby-lang.org
- maintain www.ruby-lang.org
- maintain more developer tools of ruby commiter.

I'm looking forward to working with ruby-core team.

2013/02/23 に開催された開発者会議にて遠藤さんから推薦されRubyコミッタになりました。以下の分野で Ruby の開発に貢献したいと考えています。

- 2.1.0, 2.0.0, 1.9.3 のそれぞれの trunk のビルドと主要なアプリケーションでの動作確認
- pure ruby ライブラリのメンテナンス
- Mac のビルド環境のサポート
- bugs.ruby-lang.org のメンテナンス
- www.ruby-lang.org のメンテナンス
- その他 Ruby コミッタの開発ツール・サービスの整備

皆様、今後ともよろしくお願いいたします。



SHIBATA Hiroshi
shibata.hiroshi@gmail.com



> を読むと不足している情報がありましたので改めてご連絡します。
>
> 希望アカウント名: hsbt
> @ruby-lang.org宛のメールを転送するメールアドレス: shibata.hiroshi@gmail.com
>
> pgp の公開鍵を改めて添付します。

ありがとうございます。

先程ci.ruby-lang.org (bugsと同じマシン)に(SVNアカウントではなく)通常の
シェルアカウントを作成しました。

以下の手順でSVN用のアカウントを作成いただけますか?

$ scp id_rsa.pub ci.ruby-lang.org:
$ ssh ci.ruby-lang.org
fluorine$ sudo -u svn ~svn/bin/add_svn_account hsbt id_rsa.pub

このコマンドで、~svn/.ssh/authorized_keysにいくつかの制限を加えた上で、
id_rsa.pubが追加されます。

チェックアウトする時は以下のようにユーザ名をsvnとしてください。

$ svn co svn+ssh://svn@ci.ruby-lang.org/ruby/trunk ruby

また、www.ruby-lang.orgのマシンがruby-lang.orgのMXになっていますので、
/etc/aliasesにhsbtを追加いただけますか?
「# committers」というコメントの下に、committer用のaliasがアルファベッ
ト順に記載されています。

差し支えなければ、svn-adminというaliasにも追加いただいて、アカウントの
追加もお願いできると大変助かります。

...

SHIBATA Hiroshi <shibata.hiroshi@gmail.com> 2月25日

newbie commiter work

PUBLIC ruby / ruby

All Requests 9

Yours

Find a user...

eLobato 2
windwiny 2
joem 1
buddhamagnet 1
joelnordell 1
mshytikov 1
dmacvicar 1

Open | Closed | Sort: Newest

webrick show local filesystem charset bug #311
`use ruby -run -e httpd .` run a webrick http server, can not show no 8bit-ascii directory/file name.
by windwiny an hour ago

document fix, change default script encoding #310
No description available
by windwiny 2 hours ago

Math core docs, domains, codomains.. #309
This pull request contains a more detailed doc for Math core, which includes domains and codomain…
by eLobato 2 days ago 13 comments

[Bug #8182] XMLRPC request fails with "Wrong size. Was 31564, should be 1501" #308
lib/net/http/response.rb: transparently deflates the response body, removes the "content-encoding…
by dmacvicar 3 days ago

Documentation and Examples for BigMath ext module #306
Pretty much what the commits say. I removed a line that should not be on BigMath's documentation (h…
by eLobato 5 days ago 2 comments

Add facility to Syslog::Logger #305
Hi All, This pull request about adding the facility level to Syslog::Logger without closing and r…
by mshytikov 6 days ago 1 comment

#303
…re specifically, the second example in …
by joem 7 da… 5 comments

ruby/ruby

PUBLIC ruby / ruby

Pull Request | Unwatch | Unstar 3,913 | Fork 913

Code | Network | Pull Requests 9 | Graphs | Settings

Closed **jc00ke** wants to merge 1 commit into `ruby:trunk` from `jc00ke:patch-1` 4 **#278**

Discussion | Commits 1 | Files Changed 1



jc00ke opened this pull request a month ago

Fix documentation

Edit

No one is assigned

No milestone

Minor typo

✔ **Good to merge** — The Travis build passed (**Details**)

Closed

+ 2 additions

- 2 deletions

2 participants 



jc00ke added a commit — a month ago

jc00ke Fix documentation ✔ c4c4dc1



hsbt closed this pull request from a commit — a month ago

hsbt Fix documentation by @jc00ke [fix GH-278] ··· 43a1629

Closed  **hsbt** closed the pull request in `43a1629` a month ago

Cherrypicker

My goal is...

Akira "akr" Tanaka

イベント詳細

日時	2013/05/30 (木) 10:00 - 2013/06/01 (土) 18:30 グーグルカレンダーに追加
開催場所	東京国際交流館 プラザ平成 東京都江東区青海2-2-1
参加者	490 / 490人
キャンセル待ち	11人
ハッシュタグ	#rubykaigi



Google Mapsで表示

参加者都合によるチケットの払い戻しには応じかねます。 譲渡については、購入者の責任において自由におこなってください。RubyKaigi 2013 チームは譲渡についての責任は負いかねます。 悪しからずご了承ください。

参加費

チケット	申込期限	参加費
Rails Girls in Japan Alumna & Organizer	2013/05/01 (水) 00:00	前払い10,000円
'Rurema' Contributors (200 commits or more)	2013/05/01 (水) 00:00	無料
'Rurema' Contributors (50 commits or more)	2013/05/01 (水) 00:00	前払い10,000円
'Rurema' Contributors (1 commits or more)	2013/05/01 (水) 00:00	前払い16,000円
Regional RubyKaigi Organizer	2013/05/01 (水) 00:00	前払い10,000円

current status

17 H_Konishi
17 mneumann
17 uema2
16 kanemoto
15 technorama
15 hsbt
13 davidflanagan
11 muraken
8 katsu
6 siena
5 jim

Jenkins

検索 ログイン

Jenkins ▸ 自動リロードon on

開発者
ビルド履歴

ビルドキュー
なし

ビルド実行状態

#	状態	
1	待機中	
2	待機中	

All iphone

S	W	名前 ↓	最新の成功ビルド	最新の失敗ビルド	ビルド所要時間
		active_admin	–	13 時間 前 - #360	2 分 25 秒
		cancan	13 時間 前 - #360	–	2 分 14 秒
		carrierwave	13 時間 前 - #361	–	1 分 21 秒
		chef	1 日 1 時間 前 - #409	13 時間 前 - #414	4 分 24 秒
		devise	14 時間 前 - #414	13 時間 前 - #415	1 分 29 秒
		diaspora	–	13 時間 前 - #320	28 秒
		fastladder	2 ヶ月 2 日 前 - #43	13 時間 前 - #411	3 分 0 秒
		fluentd	5 日 9 時間 前 - #399	13 時間 前 - #428	9 分 48 秒
		fog	13 時間 前 - #388	–	5 分 9 秒
		gitlabhq	–	13 時間 前 - #409	16 分
		hiki	12 時間 前 - #411	–	1 分 2 秒
		jekyll	24 日 前 - #282	12 時間 前 - #415	1 分 7 秒
		lokka	–	12 時間 前 - #414	3 分 55 秒
		mongoid	–	12 時間 前 - #429	10 秒
		padrino-framework	12 時間 前 - #388	–	2 分 19 秒
		paperclip	2 ヶ月 0 日 前 - #1	12 時間 前 - #359	21 分
		puppet	12 時間 前 - #403	–	8 分 22 秒
		rails	–	12 時間 前 - #400	47 分
		rails_admin	–	12 時間 前 - #358	2 分 25 秒
		redmine	12 時間 前 - #437	–	18 分
		ruby-snapsho[illegible]ld	[illegible] 44 分 前 - #5	2 日 6 時間 前 - #2	11 分
		[illegible]	[illegible]	2 日	12 分
		[illegible]ild	[illegible]	[illegible]	10 分
		sidekiq	12 時間 前 - #414	[illegible]	2 分 0 秒

http://ci.hsbt.org

What's ci.hsbt.org

application layer testing

snapshot build testing (without ruby)

```
% ssh ruby-lang.org
hsbt@carbon:~$ cat /etc/aliases | head -2
# See man 5 aliases for format
root:   shugo, matz, eban, knu, yuya, hsbt
```

A Programmer's Best Friend

ダウンロード　ドキュメント　ライブラリ　コミュニティ　コア開発　ニュース　セキュリティ　Rubyとは

ダウンロード

ここでは、Rubyインタプリタの代表的な入手方法を説明します。

Rubyのソースコード

Rubyの各バージョンのソースコードは、以下から入手できます。

- 最新の安定版であるruby 2.0.0-p0[tar.bz2|tar.gz|zip]が各ミラーサイトから入手できます。
- 前世代の安定版であるruby 1.9.3-p392[tar.bz2|tar.gz|zip]が各ミラーサイトから入手できます。
- 前々世代の安定版であるruby 1.8.7-p371[tar.bz2|tar.gz|zip]も各ミラーサイトから入手できます。
- 現時点での最新版スナップショット(2013/03/10 04:08:39)[tar.bz2|tar.gz|zip]が各ミラーサイトから入手できます。これはSubversionレポジトリのtrunkの先端(HEAD)から自動的にスナップショットを取ったものです。スナップショットの取得はある時刻に問答無用で行っているので、何らかの問題が残っている可能性があります。自己責任でどうぞ。
- 現時点での安定版スナップショット(2013/03/10 04:16:32)[tar.bz2|tar.gz|zip]が各ミラーサイトから入手できます。これはSubversionレポジトリのruby 2.0系のブランチ(ruby_2_0_0ブランチ)の先端から自動的にスナップショットを取ったものです。
- 最新のソースをAnonymous SVNで入手する方法については、レポジトリガイドを参照ください。

はじめよう!

ダウンロード

探求しよう!

ドキュメント

ライブラリ

コミュニティに参加しよう

メーリングリスト: 世界中のプログラマとRubyについて話しましょう。

日本Rubyの会: Rubyの利用者/開発者の支援を目的としたグループです。

更新順リンク: Ruby関連のサイトのリンクを更新順に並べたものです。

RubyForge トッププロジェクト

もっと読む...

Syndicate

最近のニュース (RSS)

Ruby 2.0.0-p195 リリース

Ruby 2.0.0-p195 をリリースします。 これは 2.0.0 の最初のパッチレベルリリースです。

このリリースには拡張ライブラリ DL/Fiddle のセキュリティフィックスが含まれます。

- DL および Fiddle におけるオブジェクト汚染フラグバイパス(CVE-2013-2065)

その他にもたくさんのバグフィックスや最適化、ドキュメントの修正が含まれています。主な変更点は以下の Changes を参考にしてください。

Downloads

- ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p195.tar.bz2

  SIZE: 10807456 bytes

  MD5: 2f54faea6ee1ca500632ec3c0cb59cb6

  SHA256: 0be32aef7a7ab6e3708cc1d65cd3e0a99fa801597194bbedd5799c11d6

- ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p195.tar.gz

  SIZE: 13641558 bytes

  MD5: 0672e5af309ae99d1703d0e96eff8ea5

  SHA256: a2fe8d44eac3c27d191ca2d0ee2d871f9aed873c74491b2a8df229bfdc4

- ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p195.zip

  SIZE: 15092199 bytes

  MD5: 924fe4bea72b1b258655211998631791

  SHA256: 81a4dc6cc09e491d417a51e5983c4584eff849e2a186ec3affdbe5bc15cc

Changes

主な変更点は以下にまとめます。より詳細な変更点は Changelog ファイルや

最近のニュース

- Ruby 1.9.3-p429 リリース
- Ruby 2.0.0-p195 リリース
- DL および Fiddle におけるオブジェクト汚染フラグバイパス (CVE-2013-2065)
- Ruby 2.0.0-p0 リリース
- Ruby 1.9.3-p392 リリース

Syndicate

最近のニュース (RSS)

```
hsbt@carbon:/home/ftp/pub/ruby/2.0$ ls -lA
合計 229552
-rw-r--r--  1 mame      mame   10814890 2013-02-24 17:09 ruby-2.0.0-p0.tar.bz2
-rw-r--r--  1 mame      mame   13608925 2013-02-24 17:09 ruby-2.0.0-p0.tar.gz
-rw-r--r--  1 mame      mame   15037340 2013-02-24 17:09 ruby-2.0.0-p0.zip
-rw-r--r--  1 nagachika users  10807456 2013-05-14 21:09 ruby-2.0.0-p195.tar.bz2
-rw-r--r--  1 nagachika users  13641558 2013-05-14 21:09 ruby-2.0.0-p195.tar.gz
-rw-r--r--  1 nagachika users  15092199 2013-05-14 21:09 ruby-2.0.0-p195.zip
-rw-r--r--  1 naruse    users  10309440 2012-11-02 03:33 ruby-2.0.0-preview1.tar.bz2
-rw-r--r--  1 naruse    users  12937316 2012-11-02 03:33 ruby-2.0.0-preview1.tar.gz
-rw-r--r--  1 naruse    users  14470260 2012-11-02 03:33 ruby-2.0.0-preview1.zip
-rw-r--r-- 1 mame       mame   10722295 2012-12-01 23:37 ruby-2.0.0-preview2.tar.bz2
-rw-r--r-- 1 mame       mame   13471954 2012-12-01 23:38 ruby-2.0.0-preview2.tar.gz
-rw-r--r-- 1 mame       mame   14987310 2012-12-01 23:38 ruby-2.0.0-preview2.zip
-rw-r--r-- 1 mame       mame   10822768 2013-01-08 00:23 ruby-2.0.0-rc1.tar.bz2
-rw-r--r-- 1 mame       mame   13621408 2013-01-08 00:23 ruby-2.0.0-rc1.tar.gz
-rw-r--r-- 1 mame       mame   15117193 2013-01-08 00:23 ruby-2.0.0-rc1.zip
-rw-r--r-- 1 mame       mame   10822239 2013-02-08 21:47 ruby-2.0.0-rc2.tar.bz2
-rw-r--r-- 1 mame       mame   13616756 2013-02-08 21:47 ruby-2.0.0-rc2.tar.gz
-rw-r--r-- 1 mame       mame   15118480 2013-02-08 21:47 ruby-2.0.0-rc2.zip
hsbt@carbon:/home/ftp/pub/ruby/2.0$
```

と書いて送ってください。

ruby-list(日本語)

Rubyを使ってプログラムを書く人たちが情報交換を行うためのメーリングリストです。 Rubyを使う上での疑問点についての相談や、Rubyを利用したアプリケーションやライブラリなどのリリース情報の紹介、Rubyに関連するイベントの紹介などが行われています。

ruby-listアーカイブ

ruby-dev(日本語)

Rubyの開発者向け公式メーリングリストです。 こちらではRuby自体のバグの報告とそれに対する対応や、将来の仕様拡張や実装上の問題などについての議論が行われています。

新規の機能要望やバグ報告は、担当者等を管理するために問題追跡システムへ投稿すると良いでしょう。同じ内容はruby-devにも投稿されます。

また、セキュリティ関連のバグや脆弱性については後述する非公開メーリングリストへ報告してください。

ruby-devアーカイブ

ruby-ext(日本語)

Ruby拡張モジュールの実装について話し合われています。

ruby-extアーカイブ

ruby-math(日本語)

数学関連の話題について話し合われています。

ruby-mathアーカイブ

fml...

Rubyist Magazine

るびま

Rubyist Magazine について

『Rubyist Magazine』、略して『るびま』は、日本 Ruby の会の有志による Rubyist の Rubyist による、Rubyist とそうでない人の

最新号

- Ruby 2.0.0 Release special articles in English (2013 3/15)
- 0041号(発行: 2013 2/24)

バックナンバー

- 0040号(発行: 2012 11/25)
- 0039号(発行: 2012 9/5)
- RubyKajaのご紹介(発行: 2012 6/17)
- 0038号(発行: 2012 5/22)
- 0037号(発行: 2012 2/5)
- 0036号(発行: 2011 11/28)
- 0035号(発行: 2011 9/26)
- 日本 Ruby 会議 2011 直前特集号(発行: 2011 6/16)
- 0034号(発行: 2011 6/12)
- 0033号(発行: 2011 4/5)
- 0032号(発行: 2011 1/31)
- 0029号(発行: 201

Rubyist Magazine

検索

日本Rubyの会について

- トップページ
- 日本Rubyの会とは
- 日本Rubyの会会則
- 日本Rubyの会役員
- 編集ポリシー
- 入会案内?
- 地域Rubyの会

最新の20件

2012-01-15

- FrontPage
- 過去のニュース

2011-12-13

- KansaiWorkshop24
- KansaiWorkshop29

2011-12-04

- Ruby勉強会@関西
- Ruby関西

2011-12-01

- RubyEventCheck2011
- RubyEventCheck

2011-11-15

- 第3回 Ruby Ra 勉強会 @
- Ru
- KansaiWorkshop5

新規

最新情報

2012-01-15: **githubのWiki(https://github.com/ruby-no-kai/official/wiki)に移行しました。**

このWikiのページはすべて凍結しました。以後は、githubのWiki(https://github.com/ruby-no-kai/of

(過去のニュース)

日本Rubyの会について

- 日本Rubyの会とは
- 日本Rubyの会会則
- 日本Rubyの会役員
- 編集ポリシー

- 入会案内(Rubyの会メーリングリストについて)

リソース

- Rubyist Magazine
- Ruby関連ドキュメント?
- 日本Rubyの会ロゴ
- TODO
- プレスリリース
- Rubyが使えるサーバー覧
- Rubyが使えないサーバー覧?
- Ruby活用事例集
- 地域Rubyの会
- RubyKaigi ... 日本Ruby会議
- Regional Ruby Kaigi ... 地域Ruby会議

http://www.rubyist.net

Matzにっき

4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 >>

2011-09-29 [長年日記]

_ RubyConf 2011 New Orleans

一年ぶりの更新か。「年刊Matzにっき」だな。

今年もニューオーリンズで開催されたRubyConf。同じ都市で二度開催は初めて。

で、しょっぱなが私のキーノート。

まあ、あんまり語ることはないので。スライドを見てもらおうか。

Ruby everywhere



つけたんだけど。
ご連絡ください。おって訂正いたします。

んですが。
ます。るびま編集部 までご連絡ください。

ないんですか?

んですか?
クを行ないます。
とり、進捗をチェックします。それを、記事提出まで行ないます。
ェックをします。記事の目的にかっている[illegible]
容をチェックします。[illegible]の動[illegible]確[illegible]など[illegible]行ないます。
ェックします。
などをチェックします。

クを全部やってるの?
人手が足りないので完璧にはできていません。やれる限りやっています。

、英語から[illegible]やるの?
あります。

いい?

上記すべてをやらなければならないの?
ません。どれか一個でもやってもらえれば助かります。そもそも、「お願い」しかできませんから。

酬をもらえますか?
は)金銭的な報酬は一切出ません。ご了承ください。

Running with Ruby-1.8.7p302

“Why do you use ruby 1.8 in introducing contents of ruby 2.0?”

SQALE from paperboy&co.

Sqale について | ご利用料金 | サポート | ログイン | ユーザー登録

月額940円で使えるクラウドホスティング。

Sqale(スケール)なら面倒なサーバーの準備は不要。最速でサイトを公開できます。

B! 410 Tweet 1,229 いいね！ 1,127







お知らせ　2013.04.26 ゴールデンウィーク期間中のサポート業務について







月額940円。最小コストでスタート！

Sqale(スケール)は、**月額 940円で**[illegible]**スティング。**スモールスタートで[illegible]す。**15日間の無料お試し期間**もあります。

リソースを自由に増やせるからアクセスが増えても安心！

[illegible]ート、アクセス[illegible]**ーの性能を簡単にパワーアップで**[illegible]ので、急なア[illegible]

コードをデプロイするだけ。面倒な環境構築は必要ありません。

[illegible]b サイト[illegible]に必要な機能が揃っているの[illegible]**ーの準備や環境の構築は必要ありません。**[illegible]をデプロイするだけ。最短ルートで

http://sqale.jp

[Hiki-dev:01340] [ANN]Hiki 1.0.0リリース

アーカイブ

okkez okkez000 @ gmail.com
2013年 3月 30日 (土) 01:20:26 JST

- **記事の並び順:** [日付] [スレッド] [件名] [著者]

---

okkez です。

Hiki 1.0.0 をリリースしました。
hikiwiki.org は更新権限がないので更新できてないです。。。

! 1.0.0 での変更点

* Wikiスタイルのパーサの DoS 脆弱性を修正しました。
* Ruby-1.9に対応しました。
* デフォルトの文字コードをUTF-8に変更しました。
* Rackに対応しました。
* Bundlerに対応しました。
* docdiffはGemを使うようにしました。
* hikidocはGemを使うようにしました。
* If-Modified-Since の判定条件が誤っていたバグを修正しました。
** Makoto Kitaichi さんが Pull Request [GitHub #7]
* misc/plugin/attach.rb の NameError を修正しました。
** Keisuke SOGAWA さんが Pull Request [GitHub #20]
* ruby hiki.rb で動作するようになりました。
** Tomohiko Himura さんが PUll Request [GitHub #21]
* Sequel による RDBMS バックエンドを追加しました。[実験的]
* Heroku 上で動くようになりました。[実験的]
* Wiki テキストの文字コードを変更するスクリプトを追加しました。

! 既知の問題

* RDBMS サポートはほとんどテ[illegible]
* Heroku サポートは実験的です。テストしてくれる人を募集します。

okkez++, znz++

つけたんだけど。
ご連絡ください。おって訂正いたします。

んですが。
ます。るびま編集部 までご連絡ください。
ないん

Relased Issue 42 Today!! It used Ruby-2.0.0p195

んです
クを行
り、進捗をチェックします。これを、記事提出まで行ないます。
ックをします。記事の目的と合っているか、わかりづらい表現などはないか、などを見ます。
をチェックします。サンプルコードの動作確認なども行ないます。
ックします。
どをチェックしま

クを全部やってるの
人手が足りないので
ます。

英語から翻訳などもやるの?
あります。

いい?

上記すべてを
ません。どれ

酬をもらえますか?
は)金銭的な報酬は一切出ません。ご了承くださ

Generated by Hiki 1.0.0 (2013-03-30).
Powered by Ruby 2.0.0-p195 (2013-05-14).
Founded by RubiMa Editors.

Ruby Issue Tracking System

ホーム

Ruby is a dynamic, open source programming language with a focus on simplicity and productivity. It has an elegant syntax that is natural to read and easy to write. This system is hosting the development of Ruby language and its related projects.

You must register your account and activate it via an email before reporting issues. Or login if you have an account.

How to report a bug

See HowtoReport (English) or HowtoReportJa (Japanese).

Popular Projects

- ruby-trunk - Developing version of Ruby
  - Backport 200 - Current stable release of Ruby 2.0 series.
  - Backport93 - Current stable release of Ruby 1.9 series.
  - Backport87 - A stable release of Ruby for bridging a gap between the 1.8 and 1.9.

Obsoleted Projects

- ruby-19
  - Backport92 - Previous stable release of Ruby 1.9 series.
  - Archive91 - The first stable release of Ruby 1.9 series.
- Ruby 1.8 - Old version of Ruby
  - Backport86 - An ancient stable release of Ruby that Rails users love
- Ruby - Version-independent topics

Help

- Issue - VCS integration - Wiki Syntax (English; translation required)
- Issue - VCS連携 - Wiki記法 (Japanese)

About Security Reports

Ruby Language Home

最近のプロジェクト

- Backport 200 (2013/02/14 10:44)
  Backport request for Ruby 2.0.0.

  Don't report issues here. Report it to ruby-trunk
- CommonRuby (2012/12/21 10:58)
  A common set of Ruby(?). Don't report MRI dep
- Backport93 (2011/08/24 23:31)
  Backport request for Ruby 1.9.3.

  Don't report issues here. Report it to ruby-trunk
- Backport92 (2010/08/02 16:45)
  Don't report issues here.
- Backport86 (2009/05/12 17:50)
  Don't report issues here.

http://bugs.ruby-lang.org

PUBLIC asakusarb / redmine4ruby-lang

Pull Request | Unwatch | Unstar 35 | Fork 5

A little fork of redMine the issue tracking system, for hosting ruby-lang.org projects. — Read more

http://redmine.ruby-lang.org

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:asakusarb/redmine4ruby-lang.git | Read+Write access

branch: ro-1-3 | Files | Commits | Branches 8 | Tags

redmine4ruby-lang /

1000+ commits

remove unused settings

hsbt authored 2 months ago — latest commit 6aafb9a0c4

app	7 months ago	Add 2 more domains. [nurse]
config	2 months ago	remove unused settings [hsbt]
db	2 years ago	remove trailing white-spaces from db/migrate/20101104182107_add_uniqu… [tmaruyama]
doc	a year ago	Updated 1.3 CHANGELOG. [jplang]
extra	a year ago	Merged r8882 from trunk. [jplang]
files	6 years ago	trunk moved from /trunk/redmine to /trunk [jplang]
lib	2 months ago	cleanup unused rspec files [hsbt]
log	6 years ago	trunk moved from /trunk/redmine to /trunk [jplang]
public	10 months ago	Apply link style only if it is link for anchors. [nurse]
test	a year ago	Merged r9379 from trunk. [jplang]

asakusarb/redmine4ruby-lang

```
hsbt@fluorine:~$ ruby -v
ruby 1.8.7 (2010-08-16 patchlevel 302) [i486-linux]
hsbt@fluorine:~$ gem list

*** LOCAL GEMS ***

actionmailer (2.3.17, 2.3.16, 2.3.15, 2.3.14, 2.3.10)
actionpack (2.3.17, 2.3.16, 2.3.15, 2.3.14, 2.3.10)
activerecord (2.3.17, 2.3.16, 2.3.15, 2.3.14, 2.3.10)
activeresource (2.3.17, 2.3.16, 2.3.15, 2.3.14, 2.3.10)
activesupport (2.3.17, 2.3.16, 2.3.15, 2.3.14, 2.3.10)
columnize (0.3.4, 0.3.2)
erubis (2.7.0)
```

debian

system ruby

rails

Ruby 2.0.0-p0 リリース

Ruby 2.0.0-p0 がリリースされました。

Ruby 2.0.0 は Ruby 2.0 系列の最初の安定版リリースです。 Ruby への要求の多様化・大規模化に対応するため、数多くの新機能や改善が搭載されています。

Ruby 2.0.0 でプログラミングを楽しんでください。

ダウンロード

- <URL:ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p0.tar.bz2>

  SIZE: 10814890 bytes
  MD5: 895c1c581f8d28e8b3bb02472b2ccf6a
  SHA256: c680d392ccc4901c32067576f5b474ee186def2fcd3fcbfa48573916809

- <URL:ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p0.tar.gz>

  SIZE: 13608925 bytes
  MD5: 50d307c4dc9297ae59952527be4e755d
  SHA256: aff85ba5ceb70303cb7fb616f5db8b95ec47a8820116198d1c866cc4fff1

- <URL:ftp://ftp.ruby-lang.org/pub/ruby/2.0/ruby-2.0.0-p0.zip>

最近のニュース

Ruby 1.9.3-p429 リリース
Ruby 2.0.0-p195 リリース
DL および Fiddle におけるオブジェクト汚染フラグバイパス (CVE-2013-2065)
Ruby 2.0.0-p0 リリース
Ruby 1.9.3-p392 リリース

Syndicate

最近のニュース (RSS)

This repository | Search or type a command | Explore | Gist | Blog | Help | hsbt

PUBLIC asakusarb / redmine4ruby-lang

Pull Request | Unwatch | Unstar 35 | Fork 5

Code | Network | Pull Requests 0 | Issues 12 | Wiki | Graphs | Settings

branch: ro-2-3 | Files | Commits | Branches 9 | Tags

redmine4ruby-lang / Commit History

Keyboard shortcuts available

May 12, 2013

rails server is working now — b0c39452ad
hsbt authored 6 days ago — Browse code

ignored to already applied migrations. — 20f9dda0d2
hsbt authored 7 days ago — Browse code

added submodule — 9e30c9f7c1
hsbt authored 7 days ago — Browse code

May 07, 2013

Merged r11798 from trunk to 2.3-stable (#14003, #14005) ··· — 958f1accec
marutosi authored 11 days ago — Browse code

May 05, 2013

Merged r11791 from trunk to 2.3-stable (#13950) ··· — 77a2cbfa6a
marutosi authored 14 days ago — Browse code

May 02, 2013

Merged … **le.** — 73b4b614ee
marutosi a… — Browse code

Work in progress



Asakusa.rb

asakusarb

Asakusa, Tokyo

http://asakusa.rubyist.net

Joined on Apr 10, 2011

12 public repos **0** private repos **30** members

oedo03report

大江戸Ruby会議03レポート

Last updated 5 days ago

★0 ⑂0

redmine_ruby_lang_mailing_list_customization

A redmine plugin that customizes redmine for Ruby's issue tracker

Last updated 6 days ago

Ruby ★2 ⑂0

redmine_mailing_list_integration

This is a redmine plugin that integrates mailng lists with redmine. It was originally developed for Ruby's issue tracker, http://redmine.ruby-lang.org

Ruby ★4 ⑂0

redmine_rd_formatter

A redmine plugin for supporting RD as a wiki format

Ruby ★12 ⑂3

redmine_link_to_root

Last updated 6 days ago

Ruby ★3 ⑂0

redmine4ruby-lang

A little fork of redMine the issue tracking system, for hosting ruby-lang.org projects.

Last updated 7 days ago

Ruby ★35 ⑂5

oedo03

forked from moro/hobbykaigi2013

Ruby ★0 ⑂26

heroku

How it Works | Pricing | Add-ons | Dev Center | Help | Contact | Login

cloud application platform

deploy and scale powerful apps



Forget Servers



Run Anything



See Everything



Trust & Manage

Agile deployment for Ruby, Node.js, Clojure, Java, Python, and Scala.

Get up and running in minutes, and deploy instantly with git. Focus 100% on your code, and never think about servers, instances, or VMs again.

Agile Deployment on Heroku

```
$ heroku create
Created sushi.herokuapp.com | git@heroku.com:sushi.git

$ git push heroku master
-----> Heroku receiving push
-----> Rails app detected
-----> Compiled slug size is 8.0MB
-----> Launching... done, v1
http://sushi.herokuapp.com deployed to Heroku
```

How it Works

It's free to get started and sign up is instant. Sign Up

Have questions? Give our sales team a call. (877) 563-4311



We're Hiring

Makers welcome. Help us change the way app development is done.

Critical Production Apps

The peace of mind you expect, plus 24x7 support, dedicated customer advocates and more.

Heroku Partners

Build your business with experienced service partners and support you can trust.

Heroku Europe Region

Improved performance for European users and isolation from apps in other regions.

Ruby
A Programmer's Best Friend

Google™カスタム検索 検索

ダウンロード ドキュメント ライブラリ コミュニティ コア開発 ニュース セキュリティ Rubyとは

Rubyとは...

オープンソースの動的なプログラミング言語で、 シンプルさと高い生産性を備 えています。 エレガントな文法を持ち、自然に読み書きができます。

もっと読む...

```
# Ruby knows what you
# mean, even if you
# want to do math on
# an entire Array
cities  = %w[ London
              Oslo
              Paris
              Amsterdam
              Ber
visite    %w[Berl    o
```

Download Ruby

探求しよう!

ドキュメント

ライブラリ

Great News

Ruby 1.9.3-p429 リリース

Ruby 1.9.3-p429 がリリースされました。 数時間前に p426 をリリースしていますが、幾つかのプラットフォームでビルド上の問題がありました。 お手数ですが、代わりにこの p429 をご利用ください。

もっと読む...

Posted by usa on 14 May 2013

Ruby 2.0.0-p195 リリース

Ruby 2.0.0-p195 をリリースします。 これは 2.0.0 の最初のパッチレベルリリースです。

日本Rubyの会: Rubyの利用者/開発者の支援を目的としたグループです。

更新順リンク: Ruby関連のサイトのリンクを更新順に並べたものです。

RubyForge トッププロジェクト

もっと読む...

Syndicate

最近のニュース (RSS)

Ruby Web Site
Administration System

Pages

Page

- **Redirect** *(Language Redirect)*
  - **Page can not be reached** *(Page Missing)*
  - **A Ruby programozási nyelv**
  - **Bahasa Pemrograman Ruby**
  - **Die Programmiersprache Ruby**
  - **Il linguaggio di programmazione Ruby**
  - **Język programowania Ruby**
  - **Le langage Ruby**
  - **Lenguaje de Programación Ruby**
  - **Limbajul de programare Ruby**
  - **Linguagem de Programação Ruby**
  - **Programmeringsspråket Ruby**
  - **Programovací jazyk Ru**
  - **Ruby Programlama Dil**
  - **Ruby Programming Language**

Radiant CMS

その他のニュース

- DL および Fiddle におけるオブジェクト汚染フラグバイパス (CVE-2013-2065)
  Posted by usa on 14 May 2013
- Ruby 2.0.0-p0 リリース
  Posted by Yusuke Endoh on 24 Feb 2013
- Ruby 1.9.3-p392 リリース
  Posted by usa on 22 Feb 2013
- REXML におけるエンティティ展開に伴うサービス不能攻撃について (CVE-2013-1821)
  Posted by usa on 22 Feb 2013
- JSON におけるサービス不能攻撃および安全でないオブジェクトの生成について (CVE-2013-0269)
  Posted by usa on 22 Feb 2013
- Ruby 2.0.0-rc2 リリース
  Posted by Yusuke Endoh on 8 Feb 2013

もっと読む...

Content available in Bulgarian, German, English, Spanish, French, Bahasa Indonesia, Italian, Japanese, Kore
Portuguese, Turkish, Simplified Chinese, and Traditional Chinese.

このサイトはRubyとJekyllによって構築されています。また、コンテンツはRubyコミュニティによって管理されています。
問やコメントはGitHubへのissueまたはpull request、もしくはwebmaster までお願いします。

Jekyll?

github?

PUBLIC ruby / www.ruby-lang.org

Pull Request | Unwatch | Unstar 44 | Fork 27

Source of the www.ruby-lang.org site — Read more

http://www.ruby-lang.org

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:ruby/www.ruby-lang.org.git | Read+Write access

branch: master | Files | Commits | Branches 4 | Tags 2

www.ruby-lang.org /

716 commits

added redirect configuration of nginx

hsbt authored 7 hours ago — latest commit 93c2f42917

_includes	4 days ago	update analytics snippet [hsbt]
_layouts	5 days ago	Update to Jekyll 1.0.2 [stomar]
_plugins	5 days ago	Provide '%-m' for unpadded month on archive pages [stomar]
bg	4 days ago	replace site.downloads.previous.md5{,gz} [hsbt]
config	18 days ago	added cleanup task to deploy [hsbt]
de	2 days ago	Enforce a defined chronological order of posts [stomar]
en	2 days ago	Enforce a defined chronological order of posts [stomar]
es	4 days ago	replace site.downloads.previous.md5{,gz} [hsbt]
	2 days ago	Enforce a defined chronological order of posts [stoma
images	2 years ago	Added static assets from https://github. rubyidentity/ruby-lang. [postmo

ruby/www.ruby-lang.org











Editorial team

This repository | Search or type a command | Explore | Gist | Blog | Help | hsbt

PUBLIC sstephenson / ruby-build

Pull Request | Unwatch | Unstar 1,220 | Fork 228

Code | Network | Pull Requests 6 | Issues 35 | Wiki | Graphs

Compile and install Ruby — Read more

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:sstephenson/ruby-build.git | Read+Write access

branch: master | Files | Commits | Branches 2 | Tags 32

ruby-build / 437 commits

ruby-build 20130518

sferik authored 18 hours ago — latest commit 1b170ee85a

bin	18 hours ago	ruby-build 20130518 [sferik]
share	2 days ago	Added JRuby 1.7.4 [deepj]
test	6 months ago	Test package cache [sstephenson]
CHANGELOG.md	18 hours ago	ruby-build 20130518 [sferik]
LICENSE	6 months ago	ruby-build 20121120 [sstephenson]
README.md	2 months ago	Updated README.md to use https to clone ruby-build [mhuffnagle]
install.sh	2 years ago	Add installation script [sstephenson]

README.md

rbenv + ruby-build

ruby-build



Mina

Getting started

Setting up a project

About deploy.rb

Command queue

Subtasks

Directory structure

Deploying

Misc

Upgrading notes

API

Command line options

Settings ›

Tasks ›

Helpers ›

Mina

Really fast deployer and server automation tool

Mina lets you build and run scripts to manage your app deployments on servers via SSH.

```
$ gem install mina
$ mina
```

Really bloody fast

Mina works really fast because it's a deploy Bash script generator. It generates an entire procedure as a Bash script and runs it remotely in the server.

Compare this to the likes of Vlad or Capistrano, where each command is ran separately on their own SSH sessions. Mina only creates *one* SSH session per deploy, minimizing the SSH connection overhead.

See the deploying guide for more information.

```
$ mina deploy --verbose

-----> Creating the build path
       $ mkdir tmp/build-128293482394
-----> Cloning the Git repository
       $ git clone https://github.com/nadarei/flipstack
       Cloning... done.
-----> Installing gem dependencies using Bundler
       $ bundle install --without development:test
       Using i18n (0.6.0)
       Using multi_json (1.0.4)
       ...
       Your bundle is complete! It was installed to ./v
-----> Moving to releases/4
       $ mv "./tmp/build-128293482394" "releases/4"
```

```
require 'mina/git'
require 'mina/bundler'
require 'mina/rbenv'

set :domain, 'neon.ruby-lang.org'
set :user, 'rubylang'
set :deploy_to, "/home/#{user}/staging.ruby-lang.org"
set :repository, 'https://github.com/ruby/www.ruby-lang.org.git'
set :branch, 'master'

task :production do
  set :deploy_to, "/home/#{user}/neon.ruby-lang.org"
end

task :environment do
  invoke :'rbenv:load'
end

desc "Generate static sites."
task :generate_static_sites => :environment do
  queue 'bundle exec rake generate'
end

desc "Deploys the current version to the server."
task :deploy => :environment do
  deploy do
```

◆不定期連載「『なるほどUnixプロセス』で学ぶWindows版Rubyの基礎」～第

_ 最初に明言しておく。好んでfork(2)を使う奴とは友達にはなれない。

_ fork(2)がどんなものなのかはそれこそ『なるほどUnixプロセス』を読んでもらうとして、ふ
いや、もちろん、便利な場面もあるだろう。
しかし、処理を分散したいならわざわざ別プロセスを生成しなくてもスレッドを使えばいいて
fork(2)に固執するのは単なる老害かUnix厨である。消えてしまえ!

_ で、えーと、結論としては、Windows版RubyではKernel#forkはNotImplementedError例外を投
スレッドかKernel#spawnとかを使ってくれたまえ。

◆不定期連載「『なるほどUnixプロセス』で学ぶWindows版Rubyの基礎」～第

_ この前書いたが、基本的にはWindowsにおいては全てのプロセスは生まれながらに孤児で
あれ、これくらいしかこの章について言うことないな。
えーと、『なるほどUnixプロセス』の本章のサンプルコードは、Windowsではこんな感じで

```
r, w = IO.pipe
w.write <<END_OF_SCRIPT
  5.times do
    sleep 1
    puts "I'm an orphan!"
  end
END_OF_SCRIPT
w.close
spawn("ruby", in: r)
```

2f54faea6ee1ca500632ec3c0cb59cb6 SHA256:
0be32aef7a7ab6e3708cc1d65cd3e0a99fa801597194bbedd5799c11d652eb5b...
もっと読む...

Posted by nagachika on 14 May 2013

その他のニュース

- DL および Fiddle におけるオブジェクト汚染フラグバイパス (CVE-2013-2065)
- REXML におけるエンティティ展開に伴うサービス不能攻撃について (CVE-2013-1821)
- Ruby 1.9.3-p392 リリース
- Ruby 2.0.0-p0 リリース

もっと読む...

We want to more translator!

Content available in Bulgarian, German, English, Spanish, French, Bahasa Indonesia, Italian, Japanese, Korean, Polish, Portuguese, Turkish, Simplified Chinese, and Traditional Chinese.

このサイトはRubyとJekyllによって構築されています。 また、コンテンツはRubyコミュニティによって管理されています。 このサイトに関する質問やコメントはGitHubへのissueまたはpull request、もしくはwebmaster までお願いします。

en

Let's take a look at finding libraries and installing them for your own use.

Finding libraries

The main place where libraries are hosted is **RubyGems.org**, providing Ruby libs as gems. You may browse the website directly, or use the `gem` command.

Using `gem search -r`, you can inspect RubyGems repository. For instance, `gem search -r rails` will return a list of Rails-related gems. Without the `remote` (`-r`) option, you would perform a local search through you installed gems. To install a gem, use `gem install [gem]`. Browsing installed gems is done with `gem list`. For more information about the `gem` command, see below or head to RubyGems' docs.

There are other source of libraries though. RubyForge used to be a popular home for Ruby libraries, but last years saw the rise of

User Groups: Get in contact with Rubyists in your area.

Weblogs: Read about what's happening right now in the Ruby community.

Ruby Core: Help polish the rough edges of the latest Ruby.

Issue Tracking: Report or help solve issues in Ruby.

Some Top Ruby Projects

More...

Syndicate

Recent News (RSS)

ja

Rubyforge

RubyForgeはオープンソースなRuby関連プロジェクトを支援しているサービスです。ここで多くのライブラリが提供されており、分野別のライブラリのリストなどから探索できます。またユーザー登録すると自分自身のプロジェクトを登録して、Subversionリポジトリやメーリングリストといったサービスを利用できます。

RAA - Ruby Application Archive

Ruby Application ArchiveはRubyforgeよりも古いライブラリ登録サイトです。最近では他のサービスに取って代わられつつありますが、ここにしか登録されていない貴重なライブラリも数多く存在します。

"Application Archive"という名前ですが、アプリケーションだけでなく、ライブラリも登録されています。

RAAでは、ライブラリは機能によって分類されており、簡単に必要なライ ブラリを見つけることができます。 たとえば、 Database カテゴリにはもっとも

RubyForge トッププロジェクト

もっと読む...

Syndicate

最近のニュース (RSS)

report of google analytics

Audience Overview

Apr 20, 2013 - May 2

Advanced Segments | Email | Export | Add to Dashboard | Shortcut

% of visits: 100.00%

Overview

Visits vs. Select a metric

Hourly | Day



237,969 people visited this site

Visits	Unique Visitors
326,466	237,969
Pageviews	**Pages / Visit**
709,116	2.17
Avg. Visit Duration	**Bounce Rate**
00:02:32	55.37%



Secondary dimension | Sort Type: Default

Language	Visits	Pages / Visit	Avg. Visit Duration
	326,466 % of Total: **100.00%** (326,466)	**2.17** Site Avg: **2.17** (0.00%)	**00:02** Site Avg: **00:02:32** (0.0
1. en-us	**169,172**	2.01	00:02
2. ja	**35,458**	2.59	00:02
3. zh-cn	**16,026**	2.64	00:03
4. fr	**9,366**	2.88	00:07
5. es	**8,858**	2.20	00:02
6. pt-br	**8,846**	2.11	00:02
7. en-gb	**8,527**	2.01	00:02
8. ru	**7,328**	1.91	00:02
9. ja-jp	**6,243**	2.22	00:01
10. de-de	**6,103**	2.10	00:02

© 2013 Google | Analytics Home | Terms of Service | Privacy Policy | Contact us | Send Feedback

Country / Territory	Visits	Pages / Visit	Avg. Visit Du
	326,466 % of Total: **100.00%** (326,466)	**2.17** Site Avg: **2.17** (0.00%)	Site Avg:
1. United States	**81,806**	2.03	
2. Japan	**44,449**	2.49	
3. China	**18,145**	2.60	
4. Germany	**13,631**	2.23	
5. United Kingdom	**12,792**	1.99	
6. India	**12,514**	1.94	
7. Brazil	**11,795**	2.08	
8. France	**9,382**	2.80	
9. Canada	**8,658**	2.05	
10. Russia	**7,257**	1.93	

conclusion

I have root permission of ruby-lang

www.ruby-lang.org

bugs.ruby-lang.org

svn.ruby-lang.org

www.rubyist.net

PUBLIC ruby / www.ruby-lang.org

Pull Request | Unwatch | Unstar 45 | Fork 30

Code | Network | Pull Requests 6 | Issues 26 | Wiki | Graphs | Settings

All Requests 6

Yours

Find a user...

chikamichi 1
charliesome 1
rogeriopradoj 1
ryotarai 1
ymx 1
LearnStre

Open | Closed | Sort: Newest

Sidebar edits to include link to LearnStreet Ruby Practice Exercises #144
With regards to Joanne Daudier's conversation with James Gray. Edits to the sidebar to include a …
by LearnStreetSK 10 days ago 3 comments

Remove M bscriptio nd merg ins uc ns o m ili list page. #114
A wrote in 113, ML s ptio rm s n wor remov e form and merged in…
by ryotarai a month ago 1 comment

Remove "Top Ruby Projects" #108
This bit of the site has been broken for years and I doubt anyone will miss it if it's gone.
by charlies a month ago 2 comments

Re d d blog ks (en) #90
T list blo was out ed: st p o O'R y R y" fr 20 nd atz' Blog"…
by ymx a month ago 1 comment

Use the tr news feed, not the en one. #76
Related to #31.
by chikamichi a month ago tr-news-feed 4 comments

Improve translation of pt/examples/cities.md #67
No description available
by rogeriopradoj 2 months ago 7 comments

Keyboard shortcuts available

Let's enjoy social coding!



Let's enjoy Ruby!!