From 'Legacy' to 'Edge'

Continuous Upgrades For Rails Apps.

柴田 博志

SHIBATA Hiroshi

paperboy&co.
asakusa.rb

paperboy&co., Inc.

発表場所 RedDotRubyConf 2013　2013-06-08(Sat)

REDDOT
RUBY CONFERENCE

RedDotRubyConf is *THE* annual Ruby conference of South East Asia — a two day single-track event that brings together renowned international and local speakers.

June 7-8, 2013
SINGAPORE

GRAB A SEAT!

REGULAR - SGD $280
STUDENT - SGD $120

Schedule

Day 1: 7 June, Friday


9:15AM • TBA



Aaron Patterson

Venue

Matrix (Biopolis), Singapore
30 Biopolis Street, Singapore 138671



self

SHIBATA Hiroshi(@hsbt)



Rails Girls in Japan




asakusa.rb



asakusa.rb

asakusa.rb



Ruby Committer

Ruby
A Programmer's Best Friend

Google™カスタム検索 検索

ダウンロード ドキュメント ライブラリ コミュニティ コア開発 ニュース セキュリティ Rubyとは

Rubyとは...

オープンソースの動的なプログラミング言語で、 シンプルさと高い生産性を備 えています。 エレガントな文法を持ち、自然に読み書きができます。

もっと読む...

```
# Ruby knows what you
# mean, even if you
# want to do math on
# an entire Array
cities  = %w[ London
              Oslo
              Paris
              Amsterdam
              Ber
visite    %w[Berl    o
```

Download Ruby

探求しよう!

ドキュメント

ライブラリ

Great News

Ruby 1.9.3-p429 リリース

Ruby 1.9.3-p429 がリリースされました。 数時間前に p426 をリリースしていますが、幾つかのプラットフォームでビルド上の問題がありました。 お手数ですが、代わりにこの p429 をご利用ください。

もっと読む...

Posted by usa on 14 May 2013

Ruby 2.0.0-p195 リリース

Ruby 2.0.0-p195 をリリースします。 これは 2.0.0 の最初のパッチレベルリリースです。

日本Rubyの会: Rubyの利用者/開発者の支援を目的としたグループです。

更新順リンク: Ruby関連のサイトのリンクを更新順に並べたものです。

RubyForge トッププロジェクト

もっと読む...

Syndicate

最近のニュース (RSS)

PUBLIC ruby / www.ruby-lang.org

Pull Request | Unwatch | Unstar 44 | Fork 27

Source of the www.ruby-lang.org site — Read more

http://www.ruby-lang.org

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:ruby/www.ruby-lang.org.git | Read+Write access

branch: master | Files | Commits | Branches 4 | Tags 2

www.ruby-lang.org /

716 commits

added redirect configuration of nginx

hsbt authored 7 hours ago — latest commit 93c2f42917

_includes	4 days ago	update analytics snippet [hsbt]
_layouts	5 days ago	Update to Jekyll 1.0.2 [stomar]
_plugins	5 days ago	Provide '%-m' for unpadded month on archive pages [stomar]
bg	4 days ago	replace site.downloads.previous.md5{,gz} [hsbt]
config	18 days ago	added cleanup task to deploy [hsbt]
de	2 days ago	Enforce a defined chronological order of posts [stomar]
en	2 days ago	Enforce a defined chronological order of posts [stomar]
es	4 days ago	replace site.downloads.previous.md5{,gz} [hsbt]
	2 days ago	Enforce a defined chronological order of posts [stoma
images	2 years ago	Added static assets from https://github. rubyidentity/ruby-lang. [postmo

ruby/www.ruby-lang.org

2f54faea6ee1ca500632ec3c0cb59cb6 SHA256:
0be32aef7a7ab6e3708cc1d65cd3e0a99fa801597194bbedd5799c11d652eb5b...
もっと読む...

Posted by nagachika on 14 May 2013

その他のニュース

- DL および Fiddle におけるオブジェクト汚染フラグバイパス (CVE-2013-2065)
  Posted by usa on 14 May 2013
- REXML におけるエンティティ展開に伴うサービス不能攻撃について (CVE-2013-1821)
  Posted by usa on 22 Feb 2013
- Ruby 2.0.0-rc2 リリース
  Posted by Yusuke Endoh on 8 Feb 2013

もっと読む...

Please join us

Ruby Issue Tracking System

ホーム

Ruby is a dynamic, open source programming language with a focus on simplicity and productivity. It has an elegant syntax that is natural to read and easy to write. This system is hosting the development of Ruby language and its related projects.

You must register your account and activate it via an email before reporting issues. Or login if you have an account.

How to report a bug

See HowtoReport (English) or HowtoReportJa (Japanese).

Popular Projects

- ruby-trunk - Developing version of Ruby
  - Backport 200 - Current stable release of Ruby 2.0 series.
  - Backport93 - Current stable release of Ruby 1.9 series.
  - Backport87 - A stable release of Ruby for bridging a gap between the 1.8 and 1.9.

Obsoleted Projects

- ruby-19
  - Backport92 - Previous stable release of Ruby 1.9 series.
  - Archive91 - The first stable release of Ruby 1.9 series.
- Ruby 1.8 - Old version of Ruby
  - Backport86 - An ancient stable release of Ruby that Rails users love
- Ruby - Version-independent topics

Help

- Issue - VCS integration - Wiki Syntax (English; translation required)
- Issue - VCS連携 - Wiki記法 (Japanese)

About Security Reports

Ruby Language Home

最近のプロジェクト

- Backport 200 (2013/02/14 10:44)
  Backport request for Ruby 2.0.0.

  Don't report issues here. Report it to ruby-trunk
- CommonRuby (2012/12/21 10:58)
  A common set of Ruby(?). Don't report MRI dep
- Backport93 (2011/08/24 23:31)
  Backport request for Ruby 1.9.3.

  Don't report issues here. Report it to ruby-trunk
- Backport92 (2010/08/02 16:45)
  Don't report issues here.
- Backport86 (2009/05/12 17:50)
  Don't report issues here.

http://bugs.ruby-lang.org

PUBLIC asakusarb / redmine4ruby-lang

Pull Request | Unwatch | Unstar 35 | Fork 5

A little fork of redMine the issue tracking system, for hosting ruby-lang.org projects. — Read more

http://redmine.ruby-lang.org

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:asakusarb/redmine4ruby-lang.git | Read+Write access

branch: ro-1-3 | Files | Commits | Branches 8 | Tags

redmine4ruby-lang /

1000+ commits

remove unused settings

hsbt authored 2 months ago — latest commit 6aafb9a0c4

app	7 months ago	Add 2 more domains. [nurse]
config	2 months ago	remove unused settings [hsbt]
db	2 years ago	remove trailing white-spaces from db/migrate/20101104182107_add_uniqu… [tmaruyama]
doc	a year ago	Updated 1.3 CHANGELOG. [jplang]
extra	a year ago	Merged r8882 from trunk. [jplang]
files	6 years ago	trunk moved from /trunk/redmine to /trunk [jplang]
lib	2 months ago	cleanup unused rspec files [hsbt]
log	6 years ago	trunk moved from /trunk/redmine to /trunk [jplang]
public	10 months ago	Apply link style only if it is link for anchors. [nurse]
test	a year ago	Merged r9379 from trunk. [jplang]

asakusarb/redmine4ruby-lang

paperboy&co.



SHIBATA Hiroshi

hsbt

paperboy&co., Inc.

Japan


shibata.hiroshi@gmail.com

http://www.hsbt.org/diary/

Joined on Jun 02, 2008

261 followers **1.3k** starred **219** following

Organizations



Contributions | Repositories | Public Activity

Edit Your Profile

Popular repositories

jenkins-rbenv-plugin 25 ★
Jenkins rbenv plugin

agig 16 ★
another Github IRC Gateway

heroku-mongodb 13 ★
Heroku mongodb plugin

whispered 12 ★

tdiary-core 10 ★
tDiary, The TSUKKOMI-able Weblog.

Repositories contributed to

paperboy-30days/30days-front 4 ★
30d.jp のフロントエンドアプリ


tdiary/tdiary-core 105 ★
tDiary, The TSUKKOMI-able Weblog.

paperboy-30days/30days-puppet 3 ★

paperboy-sqale/sqale-app 13 ★
front / admin

hiki/hiki 46 ★
Hiki is a powerful and fast wiki clone wri…

Your Contributions



3,761 Total	90 days	90 days
May 24 2012 - May 24 2013	February 24 - May 24	February 24 - May 24
Year of Contributions	Longest Streak	Current Streak

Contribution Activity

Period: 1 Week



SHIBATA Hiroshi

hsbt

paperboy&co., Inc.

Japan


shibata.hiroshi@gmail.com

http://www.hsbt.org/diary/

Joined on Jun 02, 2008

261 followers **1.3k** starred **219** following

Organizations



Contributions Repositories Public Activity Follow

Popular repositories

jenkins-rbenv-plugin 25 ★
Jenkins rbenv plugin

agig 16 ★
another Github IRC Gateway

heroku-mongodb 13 ★
Heroku mongodb plugin

whispered 12 ★

tdiary-core 10 ★
tDiary, The TSUKKOMI-able Weblog.

Repositories contributed to

tdiary/tdiary-core 105 ★
tDiary, The TSUKKOMI-able Weblog.


hiki/hiki 46 ★
Hiki is a powerful and fast wiki clone wri…

railsgirls-jp/railsgirls-jp.github.… 13 ★
Japanese translation of Rails Girls

ruby/www.ruby-lang.org 45 ★
Source of the www.ruby-lang.org site

mzp/atig 40 ★
atig.rb - Another Twitter IRC Gateway

hsbt's Open Source Contributions



Summary of Pull Requests, issues opened and commits. Learn more. Less More

1,335 Total	20 days	17 days
May 24 2012 - May 24 2013	September 23 - October 12	May 08 - May 24
Year of Contributions	Longest Streak	Current Streak

30 days Album™
We host your memories

なくしたくない思い出。全部、お預かりします。

オンラインアルバム + フォトストレージサービス・30days Album™

これまでに 278,837 人のお客様の **173,488,868** 枚の写真をお預かりしています。

30days Album™ をはじめる
無料ユーザー登録ですぐにご利用いただけます

30days Album™ について詳しく





写真を見せる。写真を残す。30da… Albu…™…出来ること。

Album オンラ…

楽しい思い出をみんなで共有

http://30d.jp

30 days Album™
We host your memories

なくしたくない思い出。全部、お預かりします。

オンラインアルバム + フォトストレージサービス・30days Album™

これまでに 278,837 人のお客様の **173,488,868** 枚の写真をお預かりしています。

30days Album™ をはじめる
無料ユーザー登録ですぐにご利用いただけます

30days Album™ について詳しく





from 2007/5

写真を見せる。写真を残す。30days Album™ で出来ること。

Album オンラインアルバム

楽しい思い出をみんなで共有

Guide Movie ビデオガイド

30 days Album™
We host your memories

なくしたくない思い出。全部、お預かりします。

オンラインアルバム + フォトストレージサービス・30days Album™

これまでに 278,837 人のお客様の 173,488,868 枚の写真をお預かりしています。

30days Album™ をはじめる
無料ユーザー登録ですぐにご利用いただけます

30days Album™ について詳しく

280,000 users



174,000,000 photos



写真を見せる。写真を残す。30days Album™ で出来ること。



Album オンラインアルバム

楽しい思い出をみんなで共有


Guide Movie ビデオガイド

Our Rails app


44models

9000lines in controllers

220lines in routes.rb



system architecture



application server

rails

app 1

app 2

storage api

storage api

mysql 5.5

db1

db2


data insert

json rpc


Mast
slav
rep

application data

storage api server




storage server



customer management

storage is over

400TB


Ruby 1.8.6
Rails 2.0.2




Rails in Kansas

つなげよう、
日本。

Rails in Tokyo

Ruby 1.8.6

Rails 2.0.2



Ruby 2.0.0

Rails 3.2.13

		Ruby			
		1.8.6	1.8.7	1.9	2
Rails	2.0/2.1	○	○	×	×
	2.3	×	○	×	×
	3	×	○	○	×
	3.2	×	○	○	○

		Ruby			
		1.8.6	1.8.7	1.9	2
Rails	2.0/2.1	O	O	X	X
	2.3	X	O	X	X
	3	X	O	O	X
	3.2	X	O	O	O

		Ruby			
		1.8.6	1.8.7	1.9	2
Rails	2.0/2.1	O	O	X	X
	2.3	X	O	X	X
	3	X	O	O	X
	3.2	X	O	O	O

How to migrate edge rails from legacy rails?

Test to specify

Jenkins

Jenkins

開発者

ビルド履歴

ビルドキュー

なし

ビルド実行状態

#	状態	
1	待機中	
2	待機中	

All | iphone

S	W	名前 ↓	最新の成功ビルド	最新の失敗ビルド
		active_admin	—	1 時間 29 分 前 - #3
		cancan	1 時間 29 分 前 - #355	—
		carrierwave	1 時間 28 分 前 - #356	—
		chef	1 時間 28 分 前 - #409	—
		devise	1 時間 27 分 前 - #410	5 時間 27 分 前 - #4
		diaspora	—	1 時間 26 分 前 - #3
		fastladder	2 ヶ月 1 日 前 - #43	1 時間 25 分 前 - #3
		fog	1 時間 23 分 前 - #383	—
		gitlabhq	—	1 時間 19 分 前 - #4
		hiki	1 時間 15 分 前 - #406	13 時間 前 - #403
		jekyll	23 日 前 - #282	1 時間 14 分 前 - #4
		lokka	—	1 時間 13 分 前 - #4
		mongoid	—	1 時間 9 分 前 - #42
		padrino-framework	1 時間 9 分 前 - #383	—
		paperclip	1 ヶ月 29 日 前 - #1	1 時間 5 分 前 - #35
		puppet	1 時間 3 分 前 - #398	—

Continuous Integration




staging environment

See Your Infrastructure

with Puppet Enterprise

Download Free



Puppet Enterprise Webinar

Watch our free live demo with Q&A



Free Learning Puppet VM

Learn Puppet in a safe, virtual environment



VMware's New Public Cloud

Learn how Puppet Enterprise automates cloud apps



Our customers manage millions of nodes with Puppet

CITRIX Clickability

Puppet is fantastic at configuration

puppet

1-8

deploy/day

Rails 2.0

Rails 2.3

hotfix A

Rails 2.0

Rails 2.3

migration A

hotfix A

Rails 2.0

Rails 2.3

migration A

hotfix A

Rails 2.0

Rails 2.3

migration A

offensive system operation

Zero Downtime Deploy

application server

app1

internet

nginx

request of image

perlbal

(with apache2)

kyoto tycoon

(memcached)

delayed_job

app1

dual master replicatio

app2

nginx

perlbal

kyoto tycoon


delayed-job

app2

caution

should not use slave-read in database

the basic of slave-read



mysql 5.5

app1

app2

db1

db2

master
slave
replication

PUBLIC cookpad / kage

Watch | Unstar 255 | Fork 9

Code | Network | Pull Requests 0 | Issues 0 | Wiki | Graphs

Kage (kah-geh) is a shadow proxy server to duplex HTTP requests — Read more

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git://github.com/cookpad/kage.git | Read-Only access

branch: master | Files | Commits | Branches 1 | Tags

kage / 11 commits

Merge pull request #3 from hsbt/compatible-ruby18 ...

miyagawa authored 5 months ago latest commit 4f5ee4e176


examples	7 months ago	Initial code, extracted as open source [miyagawa]
lib	7 months ago	Initial code, extracted as open source [miyagawa]
.gitignore	7 months ago	Initial code, extracted as open source [miyagawa]
CHANGES.md	7 months ago	0.9.1 [miyagawa]
Gemfile	7 months ago	Initial code, extracted as open source [miyagawa]
LICENSE	7 months ago	Initial code, extracted as open source [miyagawa]
README.md	7 months ago	Clarify kage is EM-based and shadow traffic is handled asynchronously… [miyagawa]
Rakefile	7 months ago	Initial code, extracted as open source [miyagawa]
kage.gemspec	7 months ago	Initial code, extracted as open source [miyagawa]

cookpad/kage

README.md

Kage (kah-geh) is an HTTP shadow proxy server that sits between clients and your server(s) to enable "shadow requests".

the basic of kage



```ruby
Kage::ProxyServer.start do |server|
  config = YAML.load_file(File.expand_path("../config.yml",
__FILE__))[ENV['RAILS_ENV']]

  server.port = 8090
  server.host = config[:host]
  server.debug = false

  # backends can share the same host/port
  server.add_master_backend(:production, config[:production], 8080)
  server.add_backend(:sandbox, config[:sandbox], 80)

  server.client_timeout = 15
  server.backend_timeout = 10

  # Dispatch all GET requests to multiple backends, otherwise
only :production
  server.on_select_backends do |request, headers|
    if request[:method] == 'GET' && rand(9) == 0
      [:production, :sandbox]
    else
      [:production]
    end
  end
end
```

PUBLIC

hsbt / puppet-kage

No description or homepage.

Clone in Mac | ZIP | HTTP | SSH | Git Read-Only | git@github.com:hsbt/puppet-kage.git | Read+Write access

branch: **master** | Files | Commits | Branches 1 | Tags

puppet-kage /

1 commit

init

hsbt authored 5 months ago — latest commit 67ff85e5b2

files	5 months ago	init [hsbt]
manifests	5 months ago	init [hsbt]

We recommend adding a README to this repository. Visit github/markup for details on what formats we support.

hsbt/puppet-kage

```
Call Trace:
 [<c041b7f2>] iounmap+0x9e/0xc8
 [<c053480d>] agp_generic_free_gatt_table+0x2e/0x9e
 [<c0533991>] agp_add_bridge+0x1a8/0x26f
 [<c05439eb>] __driver_attach+0x0/0x6b
 [<c04e6bf4>] pci_device_probe+0x36/0x57
 [<c0543945>] driver_probe_device+0x42/0x8b
 [<c0543a2f>] __driver_attach+0x44/0x6b
 [<c054344a>] bus_for_each_dev+0x37/0x59
 [<c05438af>] driver_attach+0x11/0x13
 [<c05439eb>] __driver_attach+0x0/0x6b
 [<c0543152>] bus_add_driver+0x64/0xfd
 [<c04e6d22>] __pci_register_driver+0x47/0x63
 [<c040044d>] init+0x17d/0x2f7
 [<c0403dee>] ret_from_fork+0x6/0x1c
 [<c04002d0>] init+0x0/0x2f7
 [<c04002d0>] init+0x0/0x2f7
 [<c0404c3b>] kernel_thread_helper+0x7/0x10
 =======================
Code: 78 29 8b 44 24 04 29 d0 8b 54 24 10 c1 f8 05 c1 e0 0c 09 f8 8
 85 c0 75 08 0f 0b 9c 00 77 c8 61 c0 48 89 43 0c eb 08 <0f> 0b 9f 0
 8b 03 f6 c4 04 0f 85 a5 00 00 00 a1 0c
EIP: [<c041bd49>] change_page_attr+0x19a/0x275 SS:ESP 0068:c14f7ec0
 <0>Kernel panic - not syncing: Fatal exception

 _
```

application server

app1

request of image

perlbal

internet

nginx

(with apache2)

kyoto tycoon

(memcached)

delayed_job

app1

dual master replicatio

app2

perlbal


nginx

kyoto tycoon

delayed_job

app2


monitoring
and
alerting


New Relic
YOU CAN MONITOR
PRICING
ABOUT
ENTERPRISE
BLOG | SIGN IN
Create Free Account
Developer's
est Friend
p application monitoring for your
& mobile apps without the
e-consuming configuration
eate My Free Account
See how it works

newrelic

Nagios®

General
- Home
- Documentation

Current Status
- Tactical Overview
- Map
- Hosts
- Services
- Host Groups
  - Summary
  - Grid
- Service Groups
  - Summary
  - Grid
- Problems
  - Services (Unhandled)
  - Hosts (Unhandled)
  - Network Outages

Quick Search:

Reports
- Availability
- Trends
- Alerts
  - History
  - Summary
  - Histogram
- Notifications
- Event Log

System
- Comments
- Downtime
- Process Info
- Performance Info
- Scheduling Queue
- Configuration

Current Network Status
Last Updated: Sat Jun 8 01:27:50 JST 2013
Updated every 90 seconds
Nagios® Core™ 3.2.3 - www.nagios.org
Logged in as *hsbt*

View Service Status Detail For All Host Groups
View Status Overview For All Host Groups
View Status Summary For All Host Groups
View Status Grid For All Host Groups

Host Status Totals

Up	Down	Unreachable	Pending
64	0	0	0

All Problems	All Types
0	64

Host Status Details For All Host Groups

Host	Status	Last Check	Duration	Status Inform
app001.30d.jp	UP	06-08-2013 01:25:58	199d 20h 22m 31s	PING OK - Packe
app001.30d.lan	UP	06-08-2013 01:25:58	233d 6h 9m 17s	PING OK - Packe
app002.30d.jp	UP	06-08-2013 01:24:38	124d 1h 41m 15s	PING OK - Packe
app002.30d.lan	UP	06-08-2013 01:25:38	124d 1h 41m 5s	PING OK - Packe
db001.30d.jp	UP	06-08-2013 01:27:18	123d 8h 5m 25s	PING OK - Packe
db001.30d.lan	UP	06-08-2013 01:26:38	165d 16h 31m 46s	PING OK - Packe
db002.30d.jp	UP	06-08-2013 01:27:28	165d 16h 36m 56s	PING OK - Packe
db002.30d.lan	UP	06-08-2013 01:26:58	233d 6h 8m 47s	PING OK - Packe
job3.30d.jp	UP	06-08-2013 01:24:48	64d 22h 13m 42s	PING OK - Packe
job3.30d.lan	UP	06-08-2013 01:25:28	233d 6h 8m 47s	PING OK - Packe
job4.30d.jp	UP	06-08-2013 01:25:28	199d 20h 38m 6s	PING OK - Packe
job4.30d.lan	UP	06-08-2013 01:26:48	233d 6h 8m 57s	PING OK - Packe
job5.30d.jp	UP	06-08-2013 01:24:38	148d 21h 53m 25s	PING OK - Packe
job5.30d.lan	UP	06-08-2013 01:25:08	233d 6h 8m 27s	PING OK - Packe
manage001.30d.jp	UP	06-08-2013 01:27:28	199d 19h 55m 1s	PING OK - Packe
manage001.30d.lan	UP	06-08-2013 01:26:38	126d 6h 24m 18s	PING OK - Packe
mogfs001.30d.jp	UP	06-08-2013 01:25:08	64d 22h 14m 32s	PING OK - Packe
mogfs001.30d.lan	UP	06-08-2013 01:24:38	219d 4h 46m 5s	PING OK - Packe
mogfs002.30d.jp	UP	06-08-2013 01:24:48	137d 5h 47m 14s	PING OK - Packe
mogfs002.30d.lan	UP	06-08-2013 01:25:48	88d 4h 30m 29s	PING OK - Packe
mysql1.30d.jp	UP	06-08-2013 01:25:08	64d 22h 13m 42s	PING OK - Packe
mysql1.30d.lan	UP	06-08-2013 01:26:48	233d 6h 9m 7s	PING OK - Packe

nagios

lbum	受信トレイ	[photo 88675] [30days][exception_notification] in days#force_pc_view (NoMethodError) "u... - A NoMethodE	14:20
bum (3)		[photo 88599] [30days][exception_notification] in days#index (ActionView::TemplateError... - A ActionView::TemplateError occur	8:00
bum		[photo 88665] [30days][exception_notification] in days#force_pc_view (NoMethodError) "u... - A NoMethodError occurred in day	7:35
bum		[photo 88650] [30days][exception_notification] in days#index (ActionView::TemplateError... - A ActionView::TemplateError occur	4:06
bum (6)		[photo 88638] [30days][exception_notification] in albums#slide (MemCache::MemCacheError... - A MemCache::MemCacheErro	4:06
bum (6)		[photo 88637] [30days][exception_notification] in library#login (MemCache::MemCacheErro... - A MemCache::MemCacheError	4:06
bum (4)		[photo 88616] [30days][exception_notification] in albums#show (MemCache::MemCacheError)... - A MemCache::MemCacheEr	4:06
bum (4)		[photo 88615] [30days][exception_notification] in comments#index (MemCache::MemCacheErr... - A MemCache::MemCacheEr	4:06
bum		[photo 88633] [30days][exception_notification] in albums#confirm (MemCache::MemCacheErr... - A MemCache::MemCacheErr	4:06
bum		[photo 88635] [30days][exception_notification] in albums#list (MemCache::MemCacheError)... - A MemCache::MemCacheError	4:06
bum		[photo 88631] [30days][exception_notification] in gallery_remote#main (MemCache::MemCac... - A MemCache::MemCacheErro	4:06
bum (6)		[photo 88617] [30days][exception_notification] in comments#index (MemCache::MemCacheErr... - A MemCache::MemCacheEr	4:06
bum (3)		[photo 88612] [30days][exception_notification] in albums#slide (MemCache::MemCacheError... - A MemCache::MemCacheErro	4:05
bum (3)		[photo 88614] [30days][exception_notification] in albums#show (MemCache::MemCacheError)... - A MemCache::MemCacheEr	4:05
bum (3)		[photo 88613] [30days][exception_notification] in library#login (MemCache::MemCacheErro... - A MemCache::MemCacheError	4:05
bum (2)		[photo 88597] [30days][exception_notification] in application#index (ActionController::... - A ActionController::MethodNotAllowed	5月24日
bum		[photo 88595] [30days][exception_notification] in application#index (ActionController::... - A ActionController::MethodNotAllowed	5月24日
bum		[photo 88529] [30days][exception_notification] in days#force_pc_view (NoMethodError) "u... - A NoMethodError occurred in day	5月24日
bum		[photo 88528] [30days][exception_notification] in credit_cards#create (ActionView::Temp... - A ActionView::TemplateError occur	5月24日
bum		[photo 88527] [30days][exception_notification] in library_items#index (ArgumentError) "... - A ArgumentError occurred in library_	5月24日
bum		[photo 88376] [30days][exception_notification] in json_rpc#add_photo (MemCache::MemCach... - A MemCache::MemCacheErr	5月24日

exception_notification

tiarra 19:52:54 (ikachan) https://github.com/paperboy-30days/30days-front/issues/871#issuecomment-18738129

tiarra 20:01:14 <toshiya> 僕が見てる範囲では

tiarra 20:01:27 <toshiya> それ系の問い合わせはないですね。

tiarra 20:01:58 <toshiya> 実は起きてるけど、再チャレンジしてて、それで問い合わせまで至ってないとかあるのかな。

tiarra 20:02:58 <hiroya> さきほどと一緒で、 kt の調子が悪いときに /manage/library/#list/ で 500 -> リロード -> /login にリダイレクト

tiarra 20:03:05 <hiroya> という挙動があるみたいです

tiarra 20:04:18 <toshiya> ほおお

tiarra 20:04:25 <toshiya> kt 調子悪いと

tiarra 20:04:33 <toshiya> 色々悪影響が。

tiarra 20:04:5 hiroya> そうですね、 ものなので、

tiarra 20:05:03 <hiroya> リロードしたら直った、

tiarra 20:05:14 <hiroya> 問い合わせされないとかもありえそうですね

tiarra 20:05:43 <hiroya> 地味に好感度を下げてるというか。

tiarra 20:06:30 <toshiya> イクナイ。

tiarra 20:48:39 (ikachan) 問い合わせがありました。 date: 2013/05/31 20:48 type: 要望・感想など url: https://decan.30d.jp:4443/inquiry/6593

tiarra 11:28:40 (ikachan) 問い合わせがありました。 date: 2013/06/01 11:27 type: 本サービスの利用について url: https://decan.30d.jp:4443/inquiry/6594

tiarra 12:30:20 (ikachan) 問い合わせがありました。 date: 2013/06/01 12:2 の利用について url: https://decan.30d.jp:4443/inquiry/6596

tiarra 12:43:58 (ikachan) 問い合わせがありました。 date: 2013/06/01 12:43 type: 本サービスの利用について url: https://decan.30d.jp:4443/inquiry/6597

tiarra 13:26:25 <ikachan> [nagios_alert] PROBLEM Service: Load Average Host: job3.30d.lan Address: job3.30d.lan State: WARNING Date/Time: 06-01-2013 13:25:41 - Additional Info: WARNING - load average: 16.20, 9.54, 4.29

tiarra 13:29:25 <ikachan> [nagios_alert] RECOVERY Service: Load Average Host: job3.30d.lan Address: job3.30d.lan State: OK Date/Time: 06-01-2013 13:28:41 - Additional Info: OK - load average: 1.94, 5.87, 3.78

Mode: +stn

Created at: 2013/02/21 7:00

github issue


costomer's contact


nagios

IRC


apache


:: Apache accesses





:: Apache processes





munin

:: Apache volume


people



newcomer bootcamp

Search or type a command

Explore Gist Blog Help

hsbt



30days Album

paperboy-30days

Tokyo, Japan

http://30d.jp

Joined on May 31, 2012

4 public repos **8** private repos **231** members

Repositories Members

Edit paperboy-30days's Profile

Find a Repository...

All Public Private Sources Forks Mirrors

30days-front

Ruby ★4 ⑂0

30d.jp のフロントエンドアプリ

Last updated 2 hours ago

imlib2-ruby

C ★0 ⑂0

http://pablotron.org/software/imlib2-ruby/

Last updated 3 hours ago

rack-nojs

Ruby ★3 ⑂0

Last updated 15 hours ago

30days-puppet

Puppet ★3 ⑂0

Last updated a day ago

30days-yum

★0 ⑂0

Last updated 3 days ago

worker

Perl ★1 ⑂0

github and github:e

30 days Album™
We deploy our changes

Capistrano deployment the easy way

Projects

- 30days-front
- 30days-mogilefs
- 30days-puppet
- 30days-storage_simpleapi
- 30days-worker
- 30days-yum

Hosts

192.168.45.123
app001.30d.jp
app001.30d.local
app002.30d.jp
app002.30d.local
job001.30d.local
job001.30d.pblan
job002.30d.local
job002.30d.pblan
job3.30d.jp
job4.30d.jp
job5.30d.jp
manage001.30d.jp
manage001.30d.local
mogfs001.30d.jp
mogfs001.30d.local
mogfs002.30d.jp
mogfs1.30d.jp
mogfs2.30d.jp
mogfs3.30d.jp

Welcome to Webistrano

Logged in successfully

Introduction and help

Welcome to Webistrano. Your first steps should be to create a project with a stage. This stage can then be deployed once you made at least one host known to Webistrano.



For help and more documentation, see

- Wiki
- Configuration Parameter
- FAQ

Webistrano is Open Source. Paid support is available by Peritor Consulting.

Recent deployments

Project: 30days-puppet User: kuroda Started: 2013-06-03 17:10
Stage: production Rev: 3dc088d... Duration: less than {{count}} seconds
Comment: Task: deploy
Show

Project: 30days-puppet User: kuroda Started: 2013-06-03 17:04
Stage: development Rev: 3dc088d... Duration: less than {{count}} seconds
Show

Project: 30days-puppet User: admin Started: 2013-06-03 16:57


webistrano


January 6th 2008 - May 19th 2013


Commits to master, excluding merge commits


Contribution Type: **Commits**

















confusion of programmer

is

causes of low productivity


		Ruby			
		1.8.6	1.8.7	1.9	2
Rails	2.3	X	X	X	X
	3	X	X	X	X
	3.2	X	O→	O→	O→

always on the edge

is motivating

Ruby 1.8.7

Rails 2.3.18



Ruby 1.8.7

Rails 3.0.20

v1.2 **v1.3**



What is Bundler?

Bundler maintains a consistent environment for ruby applications. It tracks an application's code and the rubygems it needs to run, so that an application will always have the exact gems (and versions) that it needs to run.

Would you like to

Get started | Report a bug | See what's new | Read documentation

Getting Started

rails 2.3 with bundler

```
source 'https://rubygems.org'

gem 'rails', '~> 2.3.18'
gem 'rake', '~> 0.9.2'
gem 'rdoc'
gem 'rake-confirm'

gem 'mysql'
gem "mysql_retry_lost_connection"
gem 'acts_as_paranoid', :github => 'paperboy-30days/acts_as_paranoid'
gem 'passenger', '~> 3.0'
gem 'memcache-client', :require => 'memcache'
gem 'system_timer'
gem 'yajl-ruby', :require => 'yajl'
gem 'will_paginate', '~> 2.3'
gem 'mail'

gem 'sass'
gem 'compass-rails'

gem 'osaipo_client', :git => 'git@github.com:paperboy-all/
osaipo_client.git', :branch => 'legacy'
gem 'jugem_client', :git => 'git@github.com:paperboy-all/
jugem_client.git'
gem 'ppb_footer', :github => 'paperboy-all/ppb_footer'
```

```
require "./config/environment"
use Rails::Rack::LogTailer
use Rails::Rack::Static
run ActionController::Dispatcher.new
```

rack with rails 2.3

```
[hsbt@laplace.local] /Users/hsbt/Dropbox/dev/paperboy/30days/days/lib/days [remove-bundle-cache] e32c416 (ree-1.8.7-2012.02)
% be rake rails:upgrade:check
(in /Users/hsbt/Dropbox/dev/paperboy/30days/days)
Updated syntax for validate_on_* methods
Validate-on-callback methods (validate_on_create/validate_on_destroy) have been changed to validate :x, :on => :create
More information: https://rails.lighthouseapp.com/projects/8994/tickets/3880-validate_on_create-and-validate_on_update-no-longer-seem-t

The culprits:
        - app/models//days_blog.rb

Deprecated session secret setting
Previously, session secret was set directly on ActionController::Base; it's now config.secret_token.
More information: http://lindsaar.net/2010/4/7/rails_3_session_secret_and_session_store

The culprits:
        - config/initializers/session_store.rb

Old session store setting
Previously, session store was set directly on ActionController::Base; it's now config.session_store :whatever.
More information: http://lindsaar.net/2010/4/7/rails_3_session_secret_and_session_store

The culprits:
        - config/initializers/session_store.rb

Old router API
The router API has totally changed.
More information: http://yehudakatz.com/2009/12/26/the-rails-3-router-rack-it-up/

The culprits:
        - config/routes.rb

Deprecated test_help path
You now must require 'rails/test_help' not just 'test_help'.
More information: http://weblog.rubyonrails.org/2009/9/1/gem-packaging-best-practices
```

rails_upgrade plugin

can’t use hyphen

30days-front

can’t use number

can’t convert application.rb...

conclusion

		Ruby			
		1.8.6	1.8.7	1.9	2
Rails	2.0/2.1	O	O	X	X
	2.3	X	O	X	X
	3	X	O	O	X
	3.2	X	O	O	O

paperboy&co.

PaPerboy&co.

NEW FOOD

high productivity

Let's enjoy around legacy system!!