GMOペパボ

# How to distribute Ruby to the world

## The secret of Release story

SHIBATA Hiroshi / GMO Pepabo, inc.

2018.04.27 RubyxElixerConf Taiwan 2018

# self.introduce

# self.introduce

```
=> {
  name: “SHIBATA Hiroshi”,
  nickname: “hsbt”,
  organizations: [“ruby”, “rubygems”, “asakusarb”,
“pepabo”, …],
  commit_bits: [“ruby”, “rake”, “rubygems”, “bundler”,
“rdoc”, “psych”,  “ruby-build”, “railsgirls”, “railsgirls-
jp”, …],
  sites: [“hsbt.org”, “ruby-lang.org”, “rubyci.org”,
“railsgirls.com”, “railsgirls.jp”],
}
```



ruby / ruby

Unwatch 1,248 Unstar 14,268 Fork 3,874


Code Pull requests 147 Insights Settings

- Pulse
- **Contributors**
- Community
- Traffic
- Commits
- Code frequency
- Dependency graph
- Network
- Forks


# Dec 25, 2017 – Apr 27, 2018

Contributions: **Commits**


Contributions to trunk, excluding merge commits





**nobu** #1
576 commits 7,321 ++ 4,021 --





**mame** #2
148 commits 6,538 ++ 7,232 --





**k0kubun** #3
134 commits 4,894 ++ 1,199 --




**shyouhei** #4
130 commits 9,535 ++ 9,343 --





**matzbot** #5
120 commits 235 ++ 234 --





**znz** #6
52 commits 185 ++ 135 --




**nurse** #7
33 commits 571 ++ 516 --




**hsbt** #8
32 commits 1,955 ++ 969 --



README
Imports 426
meetup 389
hanami 1
misc 1
000_Log 2
(no category) 5

README.md

Edit




## About (English)

Asakusa.rb is probably the most active regional Rubyist group in Japan. We're having weekly meetup on every '''Ruby

# 1.

# What's Ruby core team?

# Ruby Committer

## Full-time commiters

### Heroku




- matz
- n0kada

### Money Forward



- shyouhei

### Cookpad

- ko1
- mametter

### Speee

- mrkn



## Total 95 people + 2 bot

```
$ cat ~svn/.ssh/authorized_keys | awk '{print $5}' | sort | uniq | wc -l
97
```

# Branch maintainers

## trunk known as 2.6

@nurse: Release manager



## 2.5

@nagachika: Stable branch maintainer



## 2.4, 2.3

@unak: Old stable branch maintainer



# Ruby 2.6

# Ruby 2.6 timeframe

**2/24: 2.6.0preview1 release**

- **It contained MJIT feature**
- **see https://bugs.ruby-lang.org/issues/14235**

**5/?: 2.6.0preview2 release**

- **RubyGems 3.0**
- **Improve MJIT Performance**
- **?**

**12/25: 2.6.0 final release**

# RubyKaigi 2018

May 31st (Thu) – Jun. 2nd (Sat)


Sendai International Center, Sendai, Miyagi, Japan

**Register Now**

**Call for Speakers** **Become a Sponsor**

For news and updates, follow @rubykaigi on Twitter

Policies Team Past Kaigis



This work by RubyKaigi 2018 Team is licensed under a Creative Commons Attribution 3.0 Unported License.

2.

# How release the Ruby language

# Version number and release cycle

## We plan to release every Christmas day.


- 2.1.0: 2013/12/25
- 2.2.0: 2014/12/25
- 2.3.0: 2015/12/25
- 2.4.0: 2016/12/25
- 2.5.0: 2017/12/25
- 2.6.0: 2018/12/25(TBD)
- ...
- 3.0.0: 2020/xx/xx




# Backport

# Ruby core backport model

**We backport fixes to stable branch from trunk.**
**We do not merge fixes to trunk from stable branch**




# How do request to back port

We use to management backport's patch on redmine with specific rule.

- Write a revision number to Title or library version
- Set a status to "close"
- Fill backport field to "2.5:REQUIRED"



# Ruby CI

# What's Ruby CI

**Ruby CI is a CI results collector for alternative platforms**

- https://rubyci.org
- https://github.com/ruby/rubyci
- https://github.com/ruby/chkbuild

**Ruby CI goal is entirely supports all of Ruby platform.**



| Server | Datetime | Branch | Option | Revision | test | test-all | rubyspec | Summary | Diff |
|---|---|---|---|---|---|---|---|---|---|
| Debian 7.11 i686 | 03-12 15:04 | trunk | | 62724 | | failed | | 1177W 2[BUG] 2[SEGV] failed(test-all) fai... | diff:configure,t... |
| Debian 7.11 x86_64 | 03-12 15:00 | trunk | | 62724 | | | | 408W success | no diff |
| Debian 8.8 x86_64 | 03-12 15:30 | trunk | | 62724 | | 1F0E | | 404W 1F0E | diff:test-all |
| Debian 9.0 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 403W success | diff:process-st... |
| Debian 10.0(testing) x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 403W success | diff:process-st... |
| Ubuntu armv7l eabihf | 03-12 12:17 | trunk | | 62724 | | failed | | 782W [BUG] [SEGV] failed(test-all) 2faile... | diff:process-st... |
| Ubuntu armv8 | 03-12 06:54 | trunk | | 62724 | | | | 409W success | diff:process-st... |
| Ubuntu 16.04 x86_64 | 03-11 15:30 | trunk | | 62719 | | 1F0E | | 398W 1F0E | diff:src,proces... |
| Ubuntu 18.04 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 399W success | diff:process-st... |
| Gentoo | 03-12 15:30 | trunk | | 62724 | | | | 408W success | diff:test-all |
| CentOS 6.9 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 592W success | no diff |
| CentOS 7.3 x86_64 | 03-12 16:00 | trunk | | 62726 | | | | 413W success | diff:src,pflags,t... |
| Fedora 25 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 407W success | diff:process-st... |
| Fedora 26 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 420W success | diff:process-st... |
| Fedora 27 x86_64 | 03-12 15:30 | trunk | | 62724 | | | | 420W success | diff:process-st... |
| Amazon Linux 2017.03 x64 | 03-12 03:30 | trunk | | 62724 | | 0F1E | | 409W 0F1E | diff:src,proces... |
| Arch Linux | 03-12 15:00 | trunk | | 62724 | | | | 416W success | diff:process-st... |
| ArchLinux+clang | 03-12 16:02 | trunk | | 62726 | | | 3F0E | 404W rubyspec:3F0E | diff:src,proces... |
| OpenSUSE leap 42.3 | 03-12 12:30 | trunk | | 62724 | | | | 409W success | diff:process-st... |
| AIX 7.1 ppc | 03-11 19:33 | trunk | | 62722 | failed(make) | | | 12525W failed(make) | no diff |
| FreeBSD 11.0 zfs x64 | 03-12 15:30 | trunk | | 62724 | | | | 411W success | diff:configure |
| OS X El Capitan | 03-12 14:45 | trunk | | 62724 | | | | 411W success | diff:configure |
| macOS Sierra | 03-12 14:45 | trunk | | 62724 | | 1F0E | | 407W 1F0E | diff:configure,t... |
| icc16-x64 | 03-12 13:00 | trunk | | 62724 | | | | 402W success | no diff |
| Solaris 10x | 03-12 15:18 | trunk | | 62724 | | failed | | 778W 2[BUG] 2[SEGV] failed(test-all) fail... | diff:pflags,test... |
| Solaris 11x | 03-12 14:24 | trunk | | 62724 | | failed | | 794W 2[BUG] 2[SEGV] failed(test-all) fail... | diff:pflags,test... |
| Solaris 10s | 03-12 08:19 | trunk | | 62724 | | failed | | 778W 2[BUG] [SEGV] failed(test-all) faile... | diff:pflags,test... |
| Solaris 11s | 03-12 14:25 | trunk | | 62724 | | failed | | 794W 2[BUG] failed(test-all) failed(test/) | diff:pflags,test... |
| vc12-x64 | 03-12 14:12 | trunk | | 62724 | | | | 505W success | no diff |
| Debian 7.11 i686 | 03-12 01:46 | 2.5 | | p39 62632 | | | | 172W success | diff:configure |
| Debian 7.11 x86_64 | 03-12 15:27 | 2.5 | | p39 62632 | | | | 172W success | no diff |
| Debian 8.8 x86_64 | 03-12 15:57 | 2.5 | | p39 62632 | | | | 163W success | no diff |
| Debian 9.0 x86_64 | 03-12 15:57 | 2.5 | | p39 62632 | | | | 162W success | diff:process-st... |
| Debian 10.0(testing) x86_64 | 03-12 15:49 | 2.5 | | p39 62632 | | | | 162W success | diff:process-st... |
| Ubuntu armv8 | 03-12 08:28 | 2.5 | | p39 62632 | | | | 168W success | diff:process-st... |

# Ruby CI resources

**Ruby CI goal is entirely supports all of Ruby platform. Ruby CI built by a lot of cloud platforms (20-30 VMs)**

- **AWS**
- **Azure**
- **GCP**
- **DigitalOcean**
- **on-premise servers(macOS)**
- **opencsw(Solaris)**



# Packaging & Release

# Release time

**We build a tar packages from svn repository used `tools/make-snapshot`. After that, We will put them to ftp server.**

**We have announce following resources.**

- **https://www.ruby-lang.org (and RSS)**
- **Mailing-list: ruby-list (https://lists.ruby-lang.org)**
- **Twitter: @rubylangorg**



# Security Release

# Security release

**We received reports about buffer overflow/ underflow, memory leak, directory traversal etc…**

**We hard to fix and release these security issue. so all of release maintainer are volunteer work.**


**We have “security@ruby-lang.org” for security report.**

# HackerOne

## We've been use https://hackerone.com/ruby

## It has bounty program provided by IBB.

## We accepts to security report via hackerone too.



# 3.

# What's *.ruby-lang.org?

# What does mean “official”?

## “official” means “Matz controllable”

## Un-controllable examples:

- ruby-doc.org
- rubygems.org
- bundler.io
- Ruby version manager(rvm/rbenv/chruby)



# *.ruby-lang.org

## www.ruby-lang.org

Official Website of Ruby language.

see http://github.com/ruby/www.ruby-lang.org

## svn.ruby-lang.org

Main repository of Ruby source. (Not git !!!)

## bugs.ruby-lang.org

Official issue tracker build by redmine.



# *.ruby-lang.org

## ftp.ruby-lang.org

Site of distribute official package

## lists.ruby-lang.org

Site of Mailing-list and MX records.

## docs.ruby-lang.org

Hosted document generated from RDoc on Ruby source code and rubima project. Rubima project is a Japanese Documentation about ruby languages.

# CDN

**Our site and package distribution were supported by fastly.**

- **www.ruby-lang.org**
- **cache.ruby-lang.org**
- **docs.ruby-lang.org**

**Statistics of our CDN:**

- **Access ratio: USA: 44.6%, EU: 18.0%, Asia: 31.0%, Australia: 2.1%, Latin America: 3.7%, South Africa: 0.04%**
- **Bandwidth: 7,203 GB/month**



# Sponsors of the Ruby language

- **heroku:**
  **Unlimited dyno resources for websites**
- **fastly:**
  **OSS plan of CDN for *.ruby-lang.org**
- **NaCl:**
  **Network and Compute resources for website**
- **Microsoft:**
  **Provides Azure environment**

# Sponsors of the Ruby language(2)

- **Ruby Association:**
  **Grant of development(for AWS and Ruby CI)**
- **Nihon Ruby no Kai:**
  **macOS Server * 2**
  **Grant of development(for Windows platform)**
- **Sugaya research laboratory:**
  **Network resources for macOS Server**

# 4.

# rbenv/ruby-build

# Source distributeion

## Binary distribution

- Windows: RubyInstaller2
- Linux: apt/yum/dnf
  brightbox/software collection
- macOS: System binaries/homebrew/MacPorts

## Source distribution

- Package: cache.ruby-lang.org
- Source code: svn.ruby-lang.org or github



# What's difference source package and others

## Package(*.tar.gz)

- Pre-build transcode
- Generate configure script
- Do not need gnu tools without complier like autoconf, bison

## Source

- Need to gnu tools
- Need to ruby :)



# Start to build Ruby language from source

## You can invoke language tests with the following instructions:

```
$ git clone https://github.com/ruby/ruby
$ cd ruby
$ autoconf
$ ./configure —disable-install-doc
$ make -j
$ make install
```



# Ruby package manager

## RVM

- To support Binary installation
- Applied Custom patchset
- Automatic installation of latest rubygems and bundler

## rbenv/ruby-build

- Modify environment variables.
- I’m also maintain them

## chruby/ruby-install

- Modify a few environment variables.



# rbenv/ruby-build

## You can get them from

- homebrew
- git clone

```
$ rbenv install 2.5.0
$ rbenv install 2.6.0-dev
$ RUBY_CONFIGURE_OPT=—disable-install-doc rbenv install 2.4.3
$ rbenv install jruby-9.1.16.0
$ RUBY_CONFIGURE_OPT= rbenv install rbx-3.89
```



5.

# Ruby snap

# What's snap?

**"Snaps are containerised software packages that are simple to create and install. They auto-update and are safe to run. And because they bundle their dependencies, they work on all major Linux systems without modification."**

- **https://snapcraft.io/**



# What's snap?

**https://build.snapcraft.io/user/ruby/snap.ruby**

- **You can use the latest version of Ruby like 2.5.1 without ruby version manager like RVM/rbenv/chruby**
- **It package contained bundler gem, You can use it without `gem install bundler`**
- **You can keep to clean your linux environment.**



# Deep dive in Ruby snap.

```
$ which -a ruby
/snap/bin/ruby

$ ls /snap/bin/
ruby  ruby.bundle  ruby.gem  ruby.irb  ruby.rake  ruby.rdoc  ruby.ri

$ ls -lA /snap/bin/ruby
lrwxrwxrwx 1 root root 13 Apr 24 12:41 /snap/bin/ruby -> /usr/bin/snap

$ ls /snap/ruby/current
bin                        command-irb.wrapper    command-ri.wrapper      lib     snap
command-bundle.wrapper     command-rake.wrapper   command-ruby.wrapper    meta
command-gem.wrapper        command-rdoc.wrapper   include                 share

$ cat /snap/ruby/current/command-ruby.wrapper
#!/bin/sh
exec “$SNAP/bin/ruby” "$@"
```

# Current Status

## https://github.com/ruby/snap.ruby

- Ruby snap is `candidate` status yet.
- We need to test for production usage. But We still have some issues about building native extension.
- After `stable` release, You can use Ruby binary of stable release in Linux via Snap.

## To be continued…

# 6.

# git.ruby-lang.org

# git.ruby-lang.org

**It's available under the ruby-lang.org now!!!**

**https://git.ruby-lang.org**

- **It's READONLY**
- **It's built by cgit web interface,**
- **It's integrated with redmine**
- **It's still experimental status. I'm preparing to it now.**

# index : ruby.git

The Ruby Programming Language

summary refs log tree commit diff

| Branch | Commit message | Author |
|---|---|---|
| trunk | win32/configure.bat: stop when setup failed | nobu |
| ruby_2_4 | merge revision(s) 60384: [Backport #13887] | nagachika |
| ruby_2_5 | merge revision(s) 62606,62607: [Backport #14557] | naruse |
| ruby_2_2 | merge revision(s) 62422,62436: [Backport #14481] | usa |
| ruby_2_3 | merge revision(s) 62422,62436: [Backport #14481] | usa |
| ruby_2_1 | * 2016-04-22 | svn |
| ruby_2_0_0 | merge revision(s): 53153 and 23405@ruby_1_9_1 | usa |
| ruby_1_9_3 | merge revision(s) 48402: | usa |
| ruby_1_9_2 | bump patchlevel | hone |
| ruby_1_8_7 | merge revision(s) 44717: | naruse |
| [...] | | |

| Tag | Download | Author |
|---|---|---|
| v2_6_0_preview1 | commit ce0e3fc1b1... | naruse |
| v2_5_0 | commit 4e0a512972... | naruse |
| v2_3_6 | commit 2551734626... | usa |
| v2_2_9 | commit 72113d58cd... | usa |
| v2_4_3 | commit a5ec07c73f... | nagachika |
| v2_5_0_rc1 | commit c6f401b6b8... | naruse |
| v2_5_0_preview1 | commit f11fbd79fd... | naruse |
| v2_2_8 | commit f3c3c788aa... | usa |
| v2_3_5 | commit e07613e27e... | usa |
| v2_4_2 | commit 595af866bb... | nagachika |
| [...] | | |

| Age | Commit message | Author |
|---|---|---|
| 116 min. | win32/configure.bat: stop when setup failed HEAD trunk | nobu |
| 3 hours | vm.c: refined error message | nobu |
| 4 hours | * 2018-03-15 | svn |
| 4 hours | Unconditionally define `TRACE_INSN_P` | tenderlove |
| 13 hours | configure.ac: basic libs | nobu |
| 15 hours | test_weakmap.rb: fixing CI failures | nobu |
| 24 hours | quote symbols | nobu |
| 36 hours | * 2018-03-14 | svn |
| 36 hours | Fix typos [ci skip] | kazu |
| 38 hours | test/ripper/test_lexer.rb: add test for r62743 | k0kubun |
| [...] | | |

# What's issues of migration of Git




**Issue Tracker:**

- **Redmine on Heroku couldn't use git repository.**

**Strategy**

- **How migrate git or github from svn (now resolved!)**




**Toolchain:**

- **Packaging script depends on Subversion repository and API.**

# Where do we go from here?

1. We migrate a toolchain like package script to git from svn.
2. We will ship ruby package from git.ruby-lang.org.
3. We will accept write commit on git.ruby-lang.org.
4. We will accept to merge pull-request on GitHub and sync them to git.ruby-lang.org (final goal)



GMOペパボ



# Hiroshi SHIBATA @hsbt

https://www.hsbt.org

**Executive Officer CPO(Chief Productivity Officer)**

**Director of Business Process Re-engineering Office**

**at GMO Pepabo, Inc. @pepabo**

# We are hiring!

# in Taiwan

GMOペパボ株式会社

# We are hiring!!1

- **Company Name: GMO Pepabo, Inc.**
- **Location: HQ Office: Shibuya, Tokyo. Fukuoka Office: Tenjin, Hakata.**
- **Segment: Shared Hosting, Domain Registration, E-Commerce platform, The marketplace for handmade item.**
- **Job Title: Junior/Senior Web/ Mobile developper**

